

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 343 003	GWS 9-125 CS	230	EU	107	0 601 347 067	----	115	ASI	107
0 601 343 032	GWS 9-125 CS	230	CH	107	0 601 347 069	----	220	ASI	107
0 601 343 034	GWS 9-125 CS	115	SAM	107	0 601 347 070	----	240	AUS	107
0 601 343 037	GWS 9-125 CS	240	AUS	107	0 601 347 103	GWS 7-115	230	EU	107
0 601 343 038	GWS 9-125 CS	100	J	107	0 601 347 132	GWS 7-115	230	CH	107
0 601 343 039	GWS 9-125 CS	115	USA	107	0 601 347 133	GWS 7-115	230	S	107
0 601 343 041	GWS 9-125 CS	110	GB	107	0 601 347 134	GWS 7-115	115	SAM	107
0 601 343 042	GWS 9-125 CS	240	GB	107	0 601 347 137	GWS 7-115	240	AUS	107
0 601 343 048	GWS 9-125 CS	220	F	107	0 601 347 141	GWS 7-115	110	GB	107
0 601 343 050	GWS 9-125 CS	220	I	107	0 601 347 142	GWS 7-115	240	GB	107
0 601 343 103	GWS 9-125 CM	230	EU	107	0 601 347 150	GWS 7-115	230	I	107
0 601 343 132	GWS 9-125 CM	230	CH	107	0 601 347 154	GWS 650	230	CH	107
0 601 343 134	GWS 9-125 CM	115	SAM	107	0 601 347 158	GWS 650	230	EU	107
0 601 343 137	GWS 9-125 CM	240	AUS	107	0 601 347 159	GWS 7-115	240	ASI	107
0 601 343 141	GWS 9-125 CM	110	GB	107	0 601 347 162	GWS 7-115	230	F	107
0 601 343 142	GWS 9-125 CM	240	GB	107	0 601 347 167	GWS 7-115	115	ASI	107
0 601 343 150	GWS 9-125 CM	230	I	107	0 601 347 266	1347 A	120	USA	107
0 601 344 603	GWS 9-125 CE	230	EU	107	0 601 347 267	1347 A	120	USA	107
0 601 344 632	GWS 9-125 CE	230	CH	107	0 601 347 271	1347 A	120	USA	107
0 601 344 633	GWS 9-125 CE	230	S	107	0 601 348 003	GEWS 1348.0	230	EU	107
0 601 344 641	GWS 9-125 CE	110	GB	107	0 601 348 032	GEWS 1348.0	230	CH	107
0 601 344 642	GWS 9-125 CE	240	GB	107	0 601 348 033	GEWS 1348.0	220	SKA	107
0 601 344 650	GWS 9-125 CE	230	I	107	0 601 348 034	GEWS 1348.0	115	SAM	107
0 601 344 703	GWS 9-125 CE	230	EU	107	0 601 348 037	GEWS 1348.0	240	AUS	107
0 601 344 732	GWS 9-125 CE	230	CH	107	0 601 348 038	GEWS 1348.0	100	J	107
0 601 344 733	GWS 9-125 CE	220	SKA	107	0 601 348 039	1348	115	USA	107
0 601 344 734	GWS 9-125 CE	115	SAM	107	0 601 348 041	GEWS 1348.0	110	GB	107
0 601 344 737	GWS 9-125 CE	240	AUS	107	0 601 348 042	GEWS 1348.0	240	GB	107
0 601 344 738	GWS 9-125 CE	100	J	107	0 601 348 048	GEWS 1348.0	230	F	107
0 601 344 739	GWS 9-125 CE	115	USA	107	0 601 348 050	GEWS 1348.0	230	I	107
0 601 344 741	GWS 9-125 CE	110	GB	107	0 601 348 060	GEWS 1348.0	230	F	107
0 601 344 742	GWS 9-125 CE	240	GB	107	0 601 348 103	GWS 7-125	230	EU	107
0 601 344 748	GWS 9-125 CE	220	F	107	0 601 348 132	GWS 7-125	230	CH	107
0 601 344 750	GWS 9-125 CE	230	I	107	0 601 348 133	GWS 7-125	220	S	107
0 601 344 760	GWS 9-125 CE	100	J	107	0 601 348 134	GWS 7-125	115	SAM	107
0 601 345 603	GWS 9-150 C	230	EU	107	0 601 348 137	GWS 7-125	240	AUS	107
0 601 345 632	GWS 9-150 C	230	CH	107	0 601 348 141	GWS 7-125	110	GB	107
0 601 345 634	GWS 9-150 C	115	SAM	107	0 601 348 142	GWS 7-125	240	GB	107
0 601 345 637	GWS 9-150 C	240	AUS	107	0 601 348 150	GWS 7-125	230	I	107
0 601 345 638	GWS 9-150 C	100	J	107	0 601 348 160	GWS 7-125	230	F	107
0 601 345 641	GWS 9-150 C	110	GB	107	0 601 348 314	----	120	USA	107
0 601 345 642	GWS 9-150 C	240	GB	107	0 601 348 603	GWS 9-125 C	230	EU	107
0 601 345 648	GWS 9-150 C	230	F	107	0 601 348 632	GWS 9-125 C	230	CH	107
0 601 345 650	GWS 9-150 C	230	I	107	0 601 348 633	GWS 9-125 C	230	S	107
0 601 345 703	GWS 9-150 C	230	EU	107	0 601 348 634	GWS 9-125 C	115	SAM	107
0 601 345 732	GWS 9-150 C	230	CH	107	0 601 348 637	GWS 9-125 C	240	AUS	107
0 601 345 734	GWS 9-150 C	115	SAM	107	0 601 348 641	GWS 9-125 C	110	GB	107
0 601 345 737	GWS 9-150 C	240	AUS	107	0 601 348 642	GWS 9-125 C	240	GB	107
0 601 345 738	GWS 9-150 C	100	J	107	0 601 348 650	GWS 9-125 C	230	I	107
0 601 345 739	GWS 9-150 C	115	USA	107	0 601 348 663	GWS 9-125 C	230	F	107
0 601 345 741	GWS 9-150 C	110	GB	107	0 601 348 703	----	230	EU	107
0 601 345 742	GWS 9-150 C	240	GB	107	0 601 348 732	----	230	CH	107
0 601 345 748	GWS 9-150 C	230	F	107	0 601 348 733	----	230	SKA	107
0 601 345 750	GWS 9-150 C	230	I	107	0 601 348 734	----	115	SAM	107
0 601 347 003	----	230	EU	107	0 601 348 737	----	240	AUS	107
0 601 347 032	----	230	CH	107	0 601 348 738	----	100	J	107
0 601 347 033	----	220	S	107	0 601 348 739	1348 E	115	USA	107
0 601 347 034	----	115	SAM	107	0 601 348 741	----	110	GB	107
0 601 347 037	----	240	AUS	107	0 601 348 742	----	240	GB	107
0 601 347 038	----	100	J	107	0 601 348 748	----	230	F	107
0 601 347 039	1347	115	USA	107	0 601 348 750	----	230	I	107
0 601 347 041	----	110	GB	107	0 601 348 760	----	100	J	107
0 601 347 042	----	240	GB	107	0 601 348 762	----	100	J	107
0 601 347 048	----	230	F	107	0 601 348 763	----	230	F	107
0 601 347 050	----	230	I	107	0 601 380 003	GWS 7-115	230	EU	104
0 601 347 060	----	220	ASI	107	0 601 380 032	GWS 7-115	230	CH	104
0 601 347 061	----	100	ROK	107	0 601 380 034	GWS 7-115	115	SAM	104
0 601 347 062	----	230	F	107	0 601 380 037	GWS 7-115	240	AUS	104
0 601 347 063	----	110	GB	107	0 601 380 038	GWS 7-115	100	J	104
0 601 347 064	----	240	GB	107	0 601 380 039	GWS 7-115	115	USA	104

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 380 041	GWS 7-115	110	GB	104	0 601 384 634	GWS 14-125 C	115	SAM	104
0 601 380 042	GWS 7-115	240	GB	104	0 601 384 637	GWS 14-125 C	240	AUS	104
0 601 380 048	GWS 7-115	230	F	104	0 601 384 638	GWS 14-125 C	100	J	104
0 601 380 050	GWS 7-115	230	I	104	0 601 384 639	----	115	USA	104
0 601 380 058	GWS 7-115	240	AUS	104	0 601 384 641	GWS 14-125 C	110	GB	104
0 601 380 059	GWS 7-115	240	ASI	104	0 601 384 642	GWS 14-125 C	240	GB	104
0 601 380 060	GWS 7-115	230	ASI	104	0 601 384 648	GWS 14-125 C	230	F	104
0 601 380 063	GWS 7-115	100	ASI	104	0 601 384 650	GWS 14-125 C	230	I	104
0 601 380 064	GWS 7-115	240	ASI	104	0 601 384 703	GWS 14-125 C	230	EU	104
0 601 380 065	GWS 7-115	115	USA	104	0 601 384 732	GWS 14-125 C	230	CH	104
0 601 380 067	GWS 7-115	115	ASI	104	0 601 384 737	GWS 14-125 C	240	AUS	104
0 601 380 069	GWS 7-115	230	ASI	104	0 601 384 742	GWS 14-125 C	240	GB	104
0 601 380 073	GWS 7-115	230	EU	104	0 601 384 748	GWS 14-125 C	230	F	104
0 601 380 103	GWS 7-115	230	EU	104	0 601 384 750	GWS 14-125 C	230	I	104
0 601 380 132	GWS 7-115	230	CH	104	0 601 384 803	GWS 14-125 C	230	EU	104
0 601 380 137	GWS 7-115	240	AUS	104	0 601 384 832	GWS 14-125 C	230	CH	104
0 601 380 141	GWS 7-115	110	GB	104	0 601 384 834	GWS 14-125 C	115	SAM	104
0 601 380 142	GWS 7-115	240	GB	104	0 601 384 837	GWS 14-125 C	240	AUS	104
0 601 380 148	GWS 7-115	230	F	104	0 601 384 841	GWS 14-125 C	110	GB	104
0 601 380 903	GWS 7-115	230	EU	104	0 601 384 842	GWS 14-125 C	240	GB	104
0 601 380 932	GWS 7-115	230	CH	104	0 601 384 848	GWS 14-125 C	230	F	104
0 601 380 937	GWS 7-115	240	AUS	104	0 601 384 903	GWS 14-125 C	230	EU	104
0 601 380 941	GWS 7-115	110	GB	104	0 601 384 932	GWS 14-125 C	230	CH	104
0 601 380 942	GWS 7-115	240	GB	104	0 601 384 937	GWS 14-125 C	240	AUS	104
0 601 380 948	GWS 7-115	230	EU	104	0 601 384 942	GWS 14-125 C	240	GB	104
0 601 381 003	GWS 9-125	230	EU	104	0 601 384 948	GWS 14-125 C	230	F	104
0 601 381 032	GWS 9-125	230	CH	104	0 601 385 703	GWS 14-125 CE	230	EU	104
0 601 381 034	GWS 9-125	115	SAM	104	0 601 385 732	GWS 14-125 CE	230	CH	104
0 601 381 037	GWS 9-125	240	AUS	104	0 601 385 734	GWS 14-125 CE	115	SAM	104
0 601 381 038	GWS 9-125	100	J	104	0 601 385 737	GWS 14-125 CE	240	AUS	104
0 601 381 039	----	115	USA	104	0 601 385 738	GWS 14-125 CE	100	J	104
0 601 381 041	GWS 9-125	110	GB	104	0 601 385 739	----	115	USA	104
0 601 381 042	GWS 9-125	240	GB	104	0 601 385 741	GWS 14-125 CE	110	GB	104
0 601 381 050	GWS 9-125	230	I	104	0 601 385 742	GWS 14-125 CE	240	GB	104
0 601 381 903	GWS 9-125	230	EU	104	0 601 385 748	GWS 14-125 CE	230	F	104
0 601 381 932	GWS 9-125	230	CH	104	0 601 385 750	GWS 14-125 CE	230	I	104
0 601 381 937	GWS 9-125	240	AUS	104	0 601 385 903	GWS 14-125 CE	230	EU	104
0 601 381 941	GWS 9-125	110	GB	104	0 601 385 932	GWS 14-125 CE	230	CH	104
0 601 381 942	GWS 9-125	240	GB	104	0 601 385 934	GWS 14-125 CE	115	SAM	104
0 601 382 703	GWS 10-125 C	230	EU	104	0 601 385 937	GWS 14-125 CE	240	AUS	104
0 601 382 732	GWS 10-125 C	230	CH	104	0 601 385 941	GWS 14-125 CE	110	GB	104
0 601 382 734	GWS 10-125 C	115	SAM	104	0 601 385 942	GWS 14-125 CE	240	GB	104
0 601 382 737	GWS 10-125 C	240	AUS	104	0 601 385 948	GWS 14-125 CE	230	F	104
0 601 382 738	GWS 10-125 C	100	J	104	0 601 386 703	GWS 14-150 C	230	EU	104
0 601 382 739	----	115	USA	104	0 601 386 706	GWS 14-150 C	240	MAL	104
0 601 382 741	GWS 10-125 C	110	GB	104	0 601 386 732	GWS 14-150 C	230	CH	104
0 601 382 742	GWS 10-125 C	240	GB	104	0 601 386 734	GWS 14-150 C	115	SAM	104
0 601 382 750	GWS 10-125 C	230	I	104	0 601 386 737	GWS 14-150 C	240	AUS	104
0 601 382 903	GWS 10-125 C	230	EU	104	0 601 386 738	GWS 14-150 C	100	J	104
0 601 382 932	GWS 10-125 C	230	CH	104	0 601 386 739	----	115	USA	104
0 601 382 937	GWS 10-125 C	240	AUS	104	0 601 386 741	GWS 14-150 C	110	GB	104
0 601 382 941	GWS 10-125 C	110	GB	104	0 601 386 742	GWS 14-150 C	240	GB	104
0 601 382 942	GWS 10-125 C	240	GB	104	0 601 386 748	GWS 14-150 C	230	F	104
0 601 383 703	GWS 10-125 CE	230	EU	104	0 601 386 750	GWS 14-150 C	230	I	104
0 601 383 732	GWS 10-125 CE	230	CH	104	0 601 386 903	GWS 14-150 C	230	EU	104
0 601 383 734	GWS 10-125 CE	115	SAM	104	0 601 386 932	GWS 14-150 C	230	CH	104
0 601 383 737	GWS 10-125 CE	240	AUS	104	0 601 386 934	GWS 14-150 C	115	SAM	104
0 601 383 738	GWS 10-125 CE	100	J	104	0 601 386 937	GWS 14-150 C	240	AUS	104
0 601 383 739	----	115	USA	104	0 601 386 941	GWS 14-150 C	110	GB	104
0 601 383 741	GWS 10-125 CE	110	GB	104	0 601 386 942	GWS 14-150 C	240	GB	104
0 601 383 742	GWS 10-125 CE	240	GB	104	0 601 386 948	GWS 14-150 C	230	F	104
0 601 383 750	GWS 10-125 CE	230	I	104	0 601 607 103	GUF 4-22 A	220	EU	307
0 601 383 903	GWS 10-125 CE	230	EU	104	0 601 607 132	GUF 4-22 A	220	CH	307
0 601 383 932	GWS 10-125 CE	230	CH	104	0 601 607 133	GUF 4-22 A	220	SKA	307
0 601 383 937	GWS 10-125 CE	240	AUS	104	0 601 607 137	GUF 4-22 A	240	AUS	307
0 601 383 941	GWS 10-125 CE	110	GB	104	0 601 607 138	GUF 4-22 A	100	J	307
0 601 383 942	GWS 10-125 CE	240	GB	104	0 601 607 139	GUF 4-22 A	115	USA	307
0 601 384 603	GWS 14-125 C	230	EU	104	0 601 607 141	GUF 4-22 A	110	GB	307
0 601 384 606	GWS 14-125 C	240	MAL	104	0 601 607 142	GUF 4-22 A	240	GB	307
0 601 384 632	GWS 14-125 C	230	CH	104	0 601 607 150	GUF 4-22 A	220	I	307

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 621 703	GNF 35 CA	230	EU	104	0 601 704 941	GWS 14-125 C	110	GB	104
0 601 621 708	GNF 35 CA	230	OEU	104	0 601 704 942	GWS 14-125 C	230	GB	104
0 601 621 714	GNF35CA	220	BR	104	0 601 705 703	GWS 14-125 CE	230	EU	104
0 601 621 732	GNF 35 CA	230	CH	104	0 601 705 708	GWS 14-125 CE	230	OEU	104
0 601 621 737	GNF 35 CA	240	AUS	104	0 601 705 715	GWS 14-125 CE	220	AR	104
0 601 621 742	GNF 35 CA	230	GB	104	0 601 705 732	GWS 14-125 CE	230	CH	104
0 601 621 767	GNF 35 CA	240	AUS	104	0 601 705 737	GWS 14-125 CE	240	AUS	104
0 601 700 003	GWS 7-115	230	EU	104	0 601 705 750	GWS 14-125 CE	230	I	104
0 601 700 008	GWS 7-115	230	OEU	104	0 601 706 239	1706E	120	USA	104
0 601 700 032	GWS 7-115	230	CH	104	0 601 706 703	GWS 14-150 C	230	EU	104
0 601 700 034	GWS 7-115	115	SAM	104	0 601 706 732	GWS 14-150 C	230	CH	104
0 601 700 037	GWS 7-115	240	AUS	104	0 601 706 738	GWS 14-150 C	100	J	104
0 601 700 039	1700 A	120	USA	104	0 601 706 739	1706 A	120	USA	104
0 601 700 041	GWS 7-115	110	GB	104	0 601 706 750	GWS 14-150 C	230	I	104
0 601 700 042	GWS 7-115	230	GB	104	0 601 710 039	1710A	120	USA	104
0 601 700 043	GWS 7-115	230	CN	104	0 601 710 139	1710 AD	120	USA	104
0 601 700 048	GWS 7-125	230	F	104	0 601 710 239	1710	120	USA	104
0 601 700 050	GWS 7-115	230	I	104	0 601 710 439	1710 D	120	USA	104
0 601 700 239	1700	120	USA	104	0 601 711 039	1711 A	120	USA	104
0 601 700 903	GWS 7-115	230	EU	104	0 601 711 139	1711 AD	120	USA	104
0 601 700 908	GWS 7-115	230	OEU	104	0 601 711 239	1711	120	USA	104
0 601 700 932	GWS 7-115	230	CH	104	0 601 711 439	1711D	120	USA	104
0 601 700 934	GWS 7-115	115	SAM	104	0 601 775 739	1775 E	120	USA	104
0 601 700 950	GWS 7-115	230	I	104	0 601 775 839	PA 500	120	USA	104
0 601 701 003	GWS 9-125	230	EU	104	0 601 800 003	GWS 7-115	230	EU	104
0 601 701 008	GWS 9-125	230	OEU	104	0 601 800 008	GWS 7-115	230	OEU	104
0 601 701 015	GWS 9-125	220	AR	104	0 601 800 032	GWS 7-115	230	---	104
0 601 701 032	GWS 9-125	230	CH	104	0 601 800 034	GWS 7-115	115	SAM	104
0 601 701 034	GWS 9-125	115	SAM	104	0 601 800 037	GWS 7-115	240	AUS	104
0 601 701 037	GWS 9-125	240	AUS	104	0 601 800 039	1700A	120	USA	104
0 601 701 039	1701 A	115	USA	104	0 601 800 041	GWS 7-115	110	GB	104
0 601 701 041	GWS 9-125	110	GB	104	0 601 800 042	GWS 7-115	230	GB	104
0 601 701 042	GWS 9-125	230	GB	104	0 601 800 048	GWS 7-125	230	F	104
0 601 701 050	GWS 9-125	230	I	104	0 601 800 050	GWS 7-115	230	IL	104
0 601 701 239	1701	120	USA	104	0 601 800 541	GWS 7-115	110	GB	104
0 601 701 903	GWS 9-125	230	EU	104	0 601 800 542	GWS 7-115	230	GB	104
0 601 702 703	GWS 10-125 C	230	EU	104	0 601 801 003	GWS 9-125	230	EU	104
0 601 702 705	GWS 10-125 C	115	RC	104	0 601 801 008	GWS 9-125	230	OEU	104
0 601 702 708	GWS 10-125 C	230	OEU	104	0 601 801 014	GWS 9-125	220	---	104
0 601 702 732	GWS 10-125 C	230	CH	104	0 601 801 015	GWS 9-125	220	---	104
0 601 702 734	GWS 10-125 C	115	SAM	104	0 601 801 016	GWS 9-125	127	---	104
0 601 702 737	GWS 10-125 C	240	AUS	104	0 601 801 032	GWS 9-125	230	CH	104
0 601 702 738	GWS 10-125 C	100	J	104	0 601 801 034	GWS 9-125	115	---	104
0 601 702 739	1702 AE	120	USA	104	0 601 801 037	GWS 9-125	240	AUS	104
0 601 702 741	GWS 10-125 C	110	GB	104	0 601 801 039	1701A	120	USA	104
0 601 702 742	GWS 10-125 C	230	GB	104	0 601 801 041	GWS 9-125	110	GB	104
0 601 702 750	GWS 10-125 C	230	I	104	0 601 801 042	GWS 9-125	230	GB	104
0 601 702 768	GWS 10-150 C	100	J	104	0 601 801 050	GWS 9-125	230	IL	104
0 601 702 769	GWS 1000	230	D	104	0 601 801 070	GWS 900	230	I	104
0 601 702 772	GWS 10-125 C	230	CH	104	0 601 801 541	GWS 9-125	110	GB	104
0 601 702 773	GWS 10-125 C	230	EU	104	0 601 801 542	GWS 9-125	230	GB	104
0 601 702 903	GWS 10-125 C	230	EU	104	0 601 802 503	GWS 10-125 C	230	EU	104
0 601 702 941	GWS 10-125 C	110	GB	104	0 601 802 508	GWS 10-125 C	230	OEU	104
0 601 702 942	GWS 10-125 C	230	GB	104	0 601 802 537	GWS 10-125 C	240	AUS	104
0 601 703 239	1703EVS	120	USA	104	0 601 802 538	GWS 10-125 C	100	J	104
0 601 703 703	GWS 10-125 CE	230	EU	104	0 601 802 550	GWS 10-125 C	230	SAM	104
0 601 703 708	GWS 10-125 CE	230	OEU	104	0 601 802 572	GWS 10-125 C	230	CH	104
0 601 703 732	GWS 10-125 CE	230	CH	104	0 601 802 573	GWS 10-125C	230	EU	104
0 601 703 739	1703 AEVS	120	USA	104	0 601 802 574	GWS 10-125C	230	EU	104
0 601 703 773	GWS 10-125 CE	230	EU	104	0 601 802 575	GWS 10-125C	230	D	104
0 601 703 903	GWS 10-125 CE	230	EU	104	0 601 802 668	GWS 10-150C	100	J	104
0 601 704 703	GWS 14-125 C	230	EU	104	0 601 802 673	GWS 10-125C	230	GB	104
0 601 704 708	GWS 14-125 C	230	OEU	104	0 601 802 703	GWS 10-125C	230	EU	104
0 601 704 732	GWS 14-125 C	230	CH	104	0 601 802 705	GWS 10-125C	115	RC	104
0 601 704 734	GWS 14-125 C	115	SAM	104	0 601 802 708	GWS 10-125C	230	OEU	104
0 601 704 737	GWS 14-125 C	240	AUS	104	0 601 802 732	GWS 10-125C	230	CH	104
0 601 704 741	GWS 14-125 C	110	GB	104	0 601 802 734	GWS 10-125C	115	---	104
0 601 704 742	GWS 14-125 C	230	GB	104	0 601 802 737	GWS 10-125C	240	AUS	104
0 601 704 750	GWS 14-125 C	230	I	104	0 601 802 738	GWS 10-125C	100	J	104
0 601 704 903	GWS 14-125 C	230	EU	104	0 601 802 741	GWS 10-125C	110	GB	104

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 802 742	GWS 10-125C	230	GB	104	0 603 228 042	PSF 22	240	GB	307
0 601 802 743	GWS 10-125C	220	CN	104	0 603 228 048	PSF 22	220	F	307
0 601 802 750	GWS 10-125C	230	SAM	104	0 603 228 050	PSF 22	220	I	307
0 601 802 769	GWS 1000	230	D	104	0 603 228 103	PSF 22 A	230	EU	307
0 601 802 773	GWS 10-125C	230	EU	104	0 603 228 132	PSF 22 A	230	CH	307
0 601 803 503	GWS 10-125 CE	230	EU	104	0 603 228 133	PSF 22 A	230	CH	307
0 601 803 508	GWS 10-125 CE	230	OEU	104	0 603 228 137	PSF 22 A	240	AUS	307
0 601 803 572	GWS 10-125 CE	230	CH	104	0 603 228 138	PSF 22 A	100	J	307
0 601 803 573	GWS 10-125 CE	230	EU	104	0 603 228 142	PSF 22 A	240	GB	307
0 601 803 574	GWS 10-125 CE	230	EU	104	0 603 228 150	PSF 22 A	230	I	307
0 601 803 575	GWS 10-125 CE	230	EU	104	0 603 228 160	PSF 22 A	230	A	307
0 601 803 703	GWS 10-125 CE	230	EU	104	0 603 273 103	PWS 620 S	220	EU	107
0 601 803 708	GWS 10-125 CE	230	OEU	104	0 603 273 132	PWS 620 S	220	CH	107
0 601 803 732	GWS 10-125 CE	230	CH	104	0 603 273 137	PWS 620 S	240	AUS	107
0 601 803 739	1703AEVS	120	USA	104	0 603 273 145	PWS 620 S	115	CDN	107
0 601 803 773	GWS 10-125CE	230	EU	104	0 603 273 148	PWS 620 S	220	F	107
0 601 804 503	GWS 14-125C	230	EU	104	0 603 273 150	PWS 620 S	220	I	107
0 601 804 508	GWS 14-125C	230	OEU	104	0 603 273 160	PWS 6-125	115	CDN	107
0 601 804 534	GWS 14-125C	115	---	104	0 603 273 203	PWS 710	230	EU	107
0 601 804 537	GWS 14-125C	240	---	104	0 603 273 232	PWS 710	230	CH	107
0 601 804 550	GWS 14-125C	230	SMA	104	0 603 273 235	B9150	120	USA	107
0 601 804 572	GWS 14-125C	230	CH	104	0 603 273 237	PWS 710	240	AUS	107
0 601 804 573	GWS 14-125C	230	EU	104	0 603 273 248	PWS 710	230	F	107
0 601 804 574	GWS 14-125C	230	EU	104	0 603 273 250	PWS 710	230	I	107
0 601 804 575	GWS 14-125C	230	D	104	0 603 273 278	PWS 700	230	F	107
0 601 804 673	GWS 14-125C	230	D	104	0 603 273 289	PWS 710	230	F	107
0 601 804 703	GWS 14-125C	230	EU	104	0 603 277 603	PWS 7-125 E	230	EU	107
0 601 804 708	GWS 14-125C	230	OEU	104	0 603 277 632	PWS 7-125 E	230	CH	107
0 601 804 732	GWS 14-125C	230	CH	104	0 603 277 637	PWS 7-125 E	240	AUS	107
0 601 804 734	GWS 14-125C	115	SAM	104	0 603 277 642	PWS 7-125 E	240	GB	107
0 601 804 737	GWS 14-125C	240	---	104	0 603 277 650	PWS 7-125 E	230	I	107
0 601 804 741	GWS 14-125C	110	GB	104	0 603 277 703	PWS 6-115 E	220	EU	107
0 601 804 742	GWS 14-125C	230	GB	104	0 603 277 732	PWS 6-115 E	220	CH	107
0 601 804 750	GWS 14-125C	230	SMA	104	0 603 277 737	PWS 6-115 E	240	AUS	107
0 601 804 770	GWS 1400	230	I	104	0 603 277 742	PWS 6-115 E	240	GB	107
0 601 804 773	GWS 14-125C	230	EU	104	0 603 277 748	PWS 6-115 E	220	F	107
0 601 805 503	GWS 14-125CE	230	EU	104	0 603 277 750	PWS 6-115 E	220	I	107
0 601 805 508	GWS 14-125CE	230	OEU	104	0 603 280 703	PWS 13-125 CE	230	EU	104
0 601 805 537	GWS 14-125CE	240	AUS	104	0 603 280 732	PWS 13-125 CE	230	CH	104
0 601 805 550	GWS 14-125CE	230	SMA	104	0 603 280 734	PWS 13-125 CE	115	SAM	104
0 601 805 572	GWS 14-125CE	230	CH	104	0 603 280 737	PWS 13-125 CE	240	AUS	104
0 601 805 573	GWS 14-125CE	230	EU	104	0 603 280 742	PWS 13-125 CE	240	GB	104
0 601 805 574	GWS 14-125CE	230	EU	104	0 603 280 745	PWS 13-125 CE	115	CDN	104
0 601 805 575	GWS 14-125CE	230	D	104	0 603 280 748	PWS 13-125 CE	230	F	104
0 601 805 703	GWS 14-125CE	230	EU	104	0 603 280 750	PWS 13-125 CE	230	I	104
0 601 805 708	GWS 14-125CE	230	OEU	104	0 603 280 903	PWS 13-125 CE	230	EU	104
0 601 805 715	GWS 14-125CE	220	---	104	0 603 280 932	PWS 13-125 CE	230	CH	104
0 601 805 732	GWS 14-125CE	230	CH	104	0 603 280 937	PWS 13-125 CE	240	AUS	104
0 601 805 737	GWS 14-125CE	240	AUS	104	0 603 280 942	PWS 13-125 CE	240	GB	104
0 601 805 750	GWS 14-125CE	230	IL	104	0 603 280 948	PWS 13-125 CE	230	F	104
0 601 805 773	GWS 14-125CE	230	EU	104	0 603 320 003	PWS 9-125	230	EU	104
0 601 806 503	GWS 14-150C	230	EU	104	0 603 320 032	PWS 9-125	230	CH	104
0 601 806 532	GWS 14-150C	230	CH	104	0 603 320 037	PWS 9-125	240	AUS	104
0 601 806 550	GWS 14-150C	230	SMA	104	0 603 320 042	PWS 9-125	240	GB	104
0 601 806 572	GWS 14-150C	230	CH	104	0 603 320 045	PWS 9-125	115	CDN	104
0 601 806 573	GWS 14-150C	230	EU	104	0 603 320 050	PWS 9-125	230	I	104
0 601 806 574	GWS 14-150C	230	EU	104	0 603 320 903	PWS 9-125	230	EU	104
0 601 806 575	GWS 14-150C	230	D	104	0 603 320 950	PWS 9-125	230	I	104
0 601 806 703	GWS 14-150C	230	EU	104	0 603 321 703	PWS 10-125 CE	230	EU	104
0 601 806 708	GWS 14-150C	230	OEU	104	0 603 321 732	PWS 10-125 CE	230	CH	104
0 601 806 732	GWS 14-150C	230	EU	104	0 603 321 735	B9250	120	USA	104
0 601 806 739	1806 A	120	USA	104	0 603 321 742	PWS 10-125 CE	240	GB	104
0 601 806 743	GWS 14-150C	220	CN	104	0 603 321 745	PWS 10-125 CE	115	CDN	104
0 601 806 750	GWS 14-150C	230	IL	104	0 603 321 750	PWS 10-125 CE	230	I	104
0 601 806 773	GWS 14-150C	230	EU	104	0 603 321 903	PWS 10-125 CE	230	EU	104
0 603 228 003	PSF 22	220	EU	307	0 603 324 703	PWS 13-125 C	230	EU	104
0 603 228 032	PSF 22	220	CH	307	0 603 324 732	PWS 13-125 C	230	CH	104
0 603 228 033	PSF 22	220	SKA	307	0 603 324 748	PWS 13-125 C	230	F	104
0 603 228 037	PSF 22	240	AUS	307	0 603 324 750	PWS 13-125 C	230	I	104
0 603 228 038	PSF 22	100	J	307	0 603 324 932	PWS 13-125 C	230	CH	104

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 603 343 703	PWS 10-125 CE	230	EU	104	3 601 G90 200	GWS 9-115 P	230	EU	302/104
0 603 343 708	PWS 10-125 CE	230	OEU	104	3 601 G90 210	AG40-85PD	120	USA	302/104
0 603 343 715	PWS 10-125 CE	230	AR	104	3 601 G90 260	GWS 9-115 P	110	GB	302/104
0 603 343 732	PWS 10-125 CE	230	CH	104	3 601 G90 270	GWS 9-115 P	230	GB	302/104
0 603 343 903	PWS 10-125 CE	230	EU	104	3 601 G90 410	AG40-85P	120	USA	302/104
0 603 345 703	PWS 13-125 CE	230	EU	104	3 601 G91 000	GWS 9-125	230	EU	104
0 603 345 732	PWS 13-125 CE	230	CH	104	3 601 G91 0R0	GWS 9-125	230	EU	104
0 603 345 903	PWS 13-125 CE	230	EU	104	3 601 G91 200	GWS 9-125 P	230	EU	21/21/302/1
0 603 347 703	PWS 10-125 CE	230	EU	104	3 601 G92 000	GWS 11-125	230	EU	104
0 603 347 708	PWS 10-125 CE	230	OEU	104	3 601 G92 010	AG50-10	120	USA	302/104
0 603 347 732	PWS 10-125 CE	230	CH	104	3 601 G92 030	GWS 11-125	230	CN	104
0 603 347 773	PWS 10-125 CE	230	EU	104	3 601 G92 040	GWS 11-125	240	AUS	104
0 603 348 703	PWS 13-125 CE	230	EU	104	3 601 G92 060	GWS 11-125	110	GB	104
0 603 348 732	PWS 13-125 CE	230	CH	104	3 601 G92 070	GWS 11-125	230	GB	104
0 603 348 772	PWS 13-125 CE	230	CH	104	3 601 G92 0E0	GWS 11-125	220	BR	104
0 603 348 773	PWS 13-125 CE	230	EU	104	3 601 G92 0G0	GWS 11-125	127	BR	104
0 603 371 003	PWS 600	230	EU	104	3 601 G92 0H0	GWS 11-125	220	AR	104
0 603 371 032	PWS 600	230	CH	104	3 601 G92 0R0	GWS 11-125	230	EU	104
0 603 371 037	PWS 600	240	AUS	104	3 601 G92 200	GWS 11-125 P	230	EU	302/104
0 603 371 042	PWS 600	230	GB	104	3 601 G92 260	GWS 11-125 P	110	GB	302/104
0 603 371 060	PWS 600	230	EU	104	3 601 G92 270	GWS 11-125 P	230	GB	302/104
0 603 371 903	PWS 600	230	EU	104	3 601 G93 000	GWS 12-125	230	EU	302/104
0 603 372 003	PWS 6-115	230	EU	104	3 601 G93 030	GWS 12- 25	230	CH	302/104
0 603 372 032	PWS 6-115	230	CH	104	3 601 G93 040	GWS 12-125CI	240	AUS	302/104
0 603 372 034	PWS 6-115	115	SAM	104	3 601 G93 050	GWS 12-125 CI	100	J	302/104
0 603 372 037	PWS 6-100	240	AUS	104	3 601 G93 060	GWS 12-125	110	GB	302/104
0 603 372 050	PWS 6-115	230	I	104	3 601 G93 070	GWS 12-125	230	GB	302/104
0 603 372 060	PWS 620	230	SKA	104	3 601 G93 090	GWS 12-125	230	IL	302/104
0 603 372 062	PWS 6-115	240	AUS	104	3 601 G93 0E0	GWS 12-125 CI	220	BR	302/104
0 603 372 073	PWS 6-115	230	EU	104	3 601 G93 0G0	GWS 12-125 CI	127	BR	302/104
0 603 372 903	PWS 6-115	230	EU	104	3 601 G93 0H0	GWS 12-125 CI	220	AR	302/104
0 603 372 942	PWS 6-115	230	GB	104	3 601 G93 0R0	GWS 13-125 CI	230	EU	302/104
0 603 372 950	PWS 6-115	230	I	104	3 601 G93 100	GWS 12-125 CIX	230	EU	302/104
0 603 373 003	PWS 7-115	230	EU	104	3 601 G93 200	GWS 12-125 CIP	230	EU	302/104
0 603 373 037	PWS 7-115	240	AUS	104	3 601 G93 260	GWS 12-125 CIP	110	GB	302/104
0 603 373 060	PWS 700	230	EU	104	3 601 G93 270	GWS 12-125 CIP	230	GB	302/104
0 603 373 061	PWS 700	240	AUS	104	3 601 G93 300	GWS 12-125 CIPX	230	EU	302/104
0 603 373 903	PWS 7-115	230	EU	104	3 601 G94 000	GWS 12-125 CIE	230	EU	302/104
0 603 373 942	PWS 7-115	230	GB	104	3 601 G94 010	AG50-11VS	120	USA	302/104
0 603 373 960	PWS 700	230	EU	104	3 601 G94 030	GWS 12-125 CIE	230	CH	302/104
0 603 373 962	PWS 7-115	230	GB	104	3 601 G94 0R0	GWS 13-125 CIE	230	EU	302/104
0 603 374 003	PWS 7-125	230	EU	104	3 601 G94 100	GWS 12-125 CIEX	230	EU	302/104
0 603 374 032	PWS 7-125	230	CH	104	3 601 G94 200	GWS 12-125 CIEP	230	EU	302/104
0 603 374 903	PWS 7-125	230	EU	104	3 601 G94 210	AG50-11VSPD	120	USA	302/104
0 603 375 703	PWS 8-125 CE	230	EU	104	3 601 G94 240	GWS 12-125 CIEP	240	AUS	302/104
0 603 375 773	PWS 8-125 CE	230	EU	104	3 601 G94 300	GWS 12-125 CIEPX	230	EU	302/104
0 603 375 903	PWS 8-125 CE	230	EU	104	3 601 G95 000	GWS 15-125 CI	230	EU	302/104
3 601 G76 000	GBR 15 CA	230	EU	104	3 601 G95 030	GWS 15-125 CI	230	CH	302/104
3 601 G76 001	GBR 15 CAG	230	---	104	3 601 G95 040	GWS 15-125 CI	240	AUS	302/104
3 601 G76 011	CSG15	120	USA	104	3 601 G95 090	GWS 15-125 CI	230	IL	302/104
3 601 G76 030	GBR 15 CA	230	CH	104	3 601 G95 0R0	GWS 17-125 CI	230	---	302/104
3 601 G76 031	GBR 15 CA	230	CH	104	3 601 G95 100	GWS 15-125 CIX	230	EU	302/104
3 601 G76 040	GBR 15 CA	240	AUS	104	3 601 G95 200	GWS 15-125 CIP	230	EU	302/104
3 601 G76 070	GBR 15 CA	230	SMA	104	3 601 G95 210	AG50-125PD	120	USA	302/104
3 601 G76 071	GBR 15 CA	230	SMA	104	3 601 G95 270	GWS 15-125 CIP	230	GB	302/104
3 601 G76 090	GBR 15 CA	230	IL	104	3 601 G95 300	GWS 15-125 CIPX	230	EU	302/104
3 601 G76 091	GBR 15 CA	230	IL	104	3 601 G95 340	GWS 15-125 CIPX	230	EU	302/104
3 601 G76 0B1	GBR 15 CAG	220	ROK	104	3 601 G96 000	GWS 15-125 CIE	230	EU	302/104
3 601 G76 0E0	GBR 15 CA	220	---	104	3 601 G96 030	GWS 15-125 CIE	230	CH	302/104
3 601 G90 000	GWS 9-115	230	EU	104	3 601 G96 040	GWS 15-125 CIE	240	AUS	302/104
3 601 G90 010	AG40-85	120	USA	302/104	3 601 G96 090	GWS 15-125 CIE	230	IL	302/104
3 601 G90 030	GWS 9-115	230	CH	104	3 601 G96 0E0	GWS 15-125 CIE	220	BR	302/104
3 601 G90 040	GWS 9-115	240	AUS	104	3 601 G96 0G0	GWS 15-125 CIE	127	BR	302/104
3 601 G90 060	GWS 9-115	110	GB	104	3 601 G96 0H0	GWS 15-125 CIE	220	AR	302/104
3 601 G90 070	GWS 9-115	230	GB	104	3 601 G96 0R0	GWS 17-125 CIE	230	EU	302/104
3 601 G90 090	GWS 9-115	230	IL	104	3 601 G96 100	GWS 15-125 CIEX	230	EU	302/104
3 601 G90 0E0	GWS 9-115	220	RCH	302/104	3 601 G96 200	GWS 15-125 CIEP	230	EU	302/104
3 601 G90 0G0	GWS 9-115	127	MEX	302/104	3 601 G96 240	GWS 15-125 CIEP	240	AUS	302/104
3 601 G90 0H0	GWS 9-115	220	AR	302/104	3 601 G96 270	GWS 15-125 CIEP	230	GB	302/104
3 601 G90 0R0	GWS 9-115	230	EU	104	3 601 G97 000	GWS 15-125 CIT	230	EU	302/104

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
3 601 G97 030	GWS 15-125 CIT	230	CH	302/104	3 601 G9X 0H0	GWS 15-125 Inox	220	AR	321/104
3 601 G97 040	GWS 15-125 CIT	240	AUS	302/104	3 601 GA3 000	GWS 18-125 L	18	EU	321/104
3 601 G97 0R0	GWS 17-125 CIT	230	EU	302/104	3 601 GA3 0E0	GWS 18-125 L	18	BR	321/104
3 601 G98 000	GWS 15-150 CI	230	EU	302/104	3 601 GA3 0F0	GWS 18-125 L	18	IND	321/104
3 601 G98 010	AG60-125	120	USA	302/104	3 601 GA3 0K0	GWS 18-125 L	18	ASI	321/104
3 601 G98 030	GWS 15-150 CI	230	CH	302/104	3 601 GA3 0L0	GWS 18-125 L	18	MAL	321/104
3 601 G98 0R0	GWS 17-150 CI	230	EU	302/104	3 601 GA3 100	GWS 18-125 PL	18	EU	321/104
3 601 G98 200	GWS 15-150 CIP	230	EU	302/104	3 601 GA3 1E0	GWS 18-125 PL	18	BR	321/104
3 601 G98 210	AG60-125PD	120	USA	302/104	3 601 GA3 1H0	GWS 18-125 PL	18	AR	321/104
3 601 G9A 210	AG40-11PD	120	USA	302/104	3 601 GA3 200	GWS 18-125 SL	18	EU	321/104
3 601 G9A 410	AG40-11P	120	USA	302/104	3 601 GA3 300	GWS 18-125 SPL	18	EU	321/104
3 601 G9B 000	GWS 9-115	230	EU	104	3 601 GA4 000	GWS 18-125 L INOX	18	EU	321/104
3 601 G9B 060	GWS 9-115	110	GB	104	3 601 GA4 0B0	GWS 18-125 L INOX	18	ROK	321/104
3 601 G9B 070	GWS 9-115	230	GB	104	3 601 GA4 100	GWS 18-125 PL INOX	18	EU	321/104
3 601 G9C 000	GWS 9-125	230	EU	104	3 601 GA4 140	GWS 18-125 PL INOX	18	AUS	321/104
3 601 G9D 000	GWS 11-125	230	EU	104	3 601 GA5 000	GWS 18-150 L	18	EU	321/104
3 601 G9D 060	GWS 11-125	110	GB	104	3 601 GA5 080	GWS 18-150 L	18	CN	321/104
3 601 G9D 070	GWS 11-125	230	GB	104	3 601 GA5 100	GWS 18-150 PL	18	EU	321/104
3 601 G9E 000	GWS 13-125 CI	230	EU	302/104	3 601 H20 000	GWS 8-115	230	EU	104
3 601 G9E 030	GWS 13-125 CI	230	RCH	302/104	3 601 H20 010	1800	120	USA	104
3 601 G9E 040	GWS 13-125 CI	240	AUS	302/104	3 601 H20 020	GWS 8-115	230	OEUE	104
3 601 G9E 070	GWS 13-125 CI	230	GB	302/104	3 601 H20 030	GWS 8-115	230	EU	104
3 601 G9E 090	GWS 13-125 CI	230	IL	302/104	3 601 H20 040	GWS 8-115	240	AUS	104
3 601 G9E 0E0	GWS 13-125 CI	220	BR	302/104	3 601 H20 060	GWS 8-115	110	GB	104
3 601 G9E 0H0	GWS 13-125 CI	220	AR	302/104	3 601 H20 070	GWS 8-115	230	GB	104
3 601 G9E 100	GWS 13-125 CIX	230	EU	302/104	3 601 H20 090	GWS 8-115	230	I	104
3 601 G9F 000	GWS 13-125 CIE	230	EU	302/104	3 601 H20 092	GWS 8-115	240	AFR	104
3 601 G9F 030	GWS 13-125 CIE	230	CH	302/104	3 601 H20 0P0	GWS 8-115	240	AFR	104
3 601 G9F 100	GWS 13-125 CIEEX	230	EU	302/104	3 601 H21 000	GWS 10-125	230	EU	104
3 601 G9G 000	GWS 17-125 CI	230	---	302/104	3 601 H21 003	GWS 1000	230	EU	104
3 601 G9G 010	GWS 13-50	120	USA	302/104	3 601 H21 010	1801	120	USA	104
3 601 G9G 030	GWS 17-125 CI	230	CH	302/104	3 601 H21 020	GWS 10-125	230	OEUE	104
3 601 G9G 040	GWS 17-125 CI	240	AUS	302/104	3 601 H21 030	GWS 1000	230	CH	104
3 601 G9G 090	GWS 17-125 CI	230	IL	302/104	3 601 H21 040	GWS 10-125	240	AUS	104
3 601 G9G 100	GWS 17-125 CIX	230	EU	302/104	3 601 H21 060	GWS 10-125	110	GB	104
3 601 G9G 210	GWS 13-50 PD	120	USA	302/104	3 601 H21 063	GWS 1000	110	GB	104
3 601 G9G 410	GWS 13-50 P	120	USA	302/104	3 601 H21 070	GWS 10-125	230	GB	104
3 601 G9H 000	GWS 17-125 CIE	230	EU	302/104	3 601 H21 073	GWS 1000	230	GB	104
3 601 G9H 010	GWS 13-50 VS	120	USA	302/104	3 601 H21 080	GWS 10-125	220	CN	104
3 601 G9H 030	GWS 17-125 CIE	230	CH	302/104	3 601 H21 081	GWS 10-125	220	CN	104
3 601 G9H 090	GWS 17-125 CIE	230	IL	302/104	3 601 H21 0D0	GWS 10-125	127	BR	104
3 601 G9H 0E0	GWS 17-125 CIE	220	BR	302/104	3 601 H21 0E0	GWS 10-125	220	BR	104
3 601 G9H 0H0	GWS 17-125 CIE	220	AR	302/104	3 601 H21 0G0	GWS 10-125	127	MEX	104
3 601 G9H 100	GWS 17-125 CIEEX	230	EU	302/104	3 601 H21 0H0	GWS 10-125	220	AR	104
3 601 G9H 410	GWS 13-50 VSP	120	USA	302/104	3 601 H21 463	GWS 10-125	110	GB	104
3 601 G9J 000	GWS 17-125 CIT	230	EU	302/104	3 601 H21 473	GWS 10-125	230	GB	104
3 601 G9J 030	GWS 17-125 CIT	230	CH	302/104	3 601 H21 800	GWS 10-125	230	EU	104
3 601 G9J 040	GWS 17-125 CIT	240	AUS	302/104	3 601 H21 830	GWS 10-125	230	CN	104
3 601 G9K 000	GWS 17-150 CI	230	EU	302/104	3 601 H21 8P0	GWS 1000	230	SMA	104
3 601 G9K 010	GWS 13-60	120	USA	302/104	3 601 H21 8R0	GWS 1000	230	EU	104
3 601 G9K 030	GWS 17-150 CI	230	CH	302/104	3 601 H22 000	GWS 11-125 CI	230	EU	104
3 601 G9K 210	GWS 13-60 PD	120	USA	302/104	3 601 H22 003	GWS 1100	230	D	104
3 601 G9M 000	GWS 17-125 INOX	230	EU	321/104	3 601 H22 020	GWS 11-125 CI	230	OEUE	104
3 601 G9M 040	GWS 17-125 INOX	240	AUS	321/104	3 601 H22 030	GWS 11-125 CI	230	CH	104
3 601 G9M 0B0	GWS 17-125 INOX	220	ROK	321/104	3 601 H22 040	GWS 11-125 CI	240	AUS	104
3 601 G9M 0E0	GWS 17-125 INOX	220	RCH	321/104	3 601 H22 041	GWS 1200 C	240	AUS	104
3 601 G9M 0H0	GWS 17-125 INOX	220	AR	321/104	3 601 H22 050	GWS 11-125 CI	100	J	104
3 601 G9N 000	GWS 19-125 CI	230	EU	302/104	3 601 H22 060	GWS 11-125 CI	110	GB	104
3 601 G9P 000	GWS 19-125 CIE	230	EU	302/104	3 601 H22 070	GWS 11-125 CI	230	GB	104
3 601 G9P 030	GWS 19-125 CIE	220	CH	302/104	3 601 H22 090	GWS 11-125 CI	230	I	104
3 601 G9R 000	GWS 19-150 CI	230	EU	302/104	3 601 H22 0E0	GWS 11-125 CI	220	BR	104
3 601 G9S 000	GWS 19-125 CIST	230	EU	321/104	3 601 H22 0G0	GWS 11-125 CI	127	MEX	104
3 601 G9S 040	GWS 19-125CIST	240	AUS	321/104	3 601 H22 0H0	GWS 11-125 CI	220	AR	104
3 601 G9T 010	GWS 10-45	120	USA	302/104	3 601 H23 000	GWS 11-125 CIE	230	EU	104
3 601 G9T 210	GWS 10-45 PD	120	USA	302/104	3 601 H23 010	1803 EVS	120	USA	104
3 601 G9T 410	GWS 10-45 P	120	USA	302/104	3 601 H23 020	GWS 11-125 CIE	230	OEUE	104
3 601 G9X 000	GWS 15-125 Inox	230	EU	321/104	3 601 H23 030	GWS 11-125 CIE	230	CH	104
3 601 G9X 040	GWS 15-125 Inox	220	BR	321/104	3 601 H24 000	GWS 14-125 CI	230	EU	104
3 601 G9X 0E0	GWS 15-125 Inox	220	RCH	321/104	3 601 H24 020	GWS 14-125 CI	230	OEUE	104
3 601 G9X 0G0	GWS 15-125 Inox	127	MEX	321/104	3 601 H24 030	GWS 14-125 CI	230	CH	104

Код заказа	: 1 600 210 044	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 4,5x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
3 601 H24 080	GWS 14-125 CI	220	CN	104	3 601 H30 D00	GWS 15-125 CIEH	230	EU	321/104
3 601 H24 081	GWS 14-125 CI	220	CN	104	3 601 H30 E40	GWS 15-125 CITH	240	AUS	321/104
3 601 H24 090	GWS 14-125 CI	230	I	104	3 601 H30 G00	GWS 15-125 CITH	230	EU	321/104
3 601 H24 0G0	GWS 14-125 CI	127	MEX	104	3 601 H31 000	GWS 8-115 Z	230	EU	104
3 601 H24 241	GWS 1400 C	240	AUS	104	3 601 H31 0Z0	GWS 8-115 Z	115	SMA	104
3 601 H24 2F0	GWS 14-125 CI	220	IND	104	3 601 H31 0Z1	GWS 8-115 Z	115	SGP	104
3 601 H24 800	GWS 1400	230	EU	104	3 601 H31 210	1810 PSD	120	USA	104
3 601 H24 803	---	0	---	104	3 601 H31 500	GWS 8-115 Z	230	CN	104
3 601 H24 830	GWS 1400	230	EU	104	3 601 H31 5K0	GWS 8-100 Z	230	ASI	104
3 601 H24 8P0	GWS 1400	230	SMA	104	3 601 H31 5L0	GWS 8-100 Z	240	MAL	104
3 601 H24 8R0	GWS 1400	230	EU	104	3 601 H31 5P0	GWS 8-100 Z	230	SA	104
3 601 H25 000	GWS 14-125 CIE	230	EU	104	3 601 H31 5P1	GWS 8-115 Z	230	SA	104
3 601 H25 020	GWS 14-125 CIE	230	OEUE	104	3 601 H31 5Z0	GWS 8-100 Z	110	SGP	104
3 601 H25 030	GWS 14-125 CIE	230	CH	104	3 601 H31 5Z1	GWS 8-100 Z	110	SA	104
3 601 H25 040	GWS 14-125 CIE	240	AUS	104	3 601 H31 5Z2	GWS 8-115 Z	110	SA	104
3 601 H25 090	GWS 14-125 CE	230	I	104	3 601 H31 A10	1810 PS	120	USA	104
3 601 H25 0E0	GWS 14-125 CIE	220	BR	104	3 601 H32 000	GWS 10-125 Z	230	EU	104
3 601 H25 0H0	GWS 14-125 CIE	220	AR	104	3 601 H32 040	GWS 10-125 Z	240	AUS	104
3 601 H26 000	GWS 14-150 CI	230	EU	104	3 601 H32 210	1811 PSD	120	USA	104
3 601 H26 010	1806 E	120	USA	104	3 601 H32 A10	1811 PS	120	USA	104
3 601 H26 020	GWS 14-150 CI	230	OEUE	104	3 601 H33 210	1812 PSD	120	USA	104
3 601 H26 030	GWS 14-150 CI	230	CH	104	3 601 JG3 050	GWS 18V-100 C	18	J	321/104
3 601 H26 080	GWS 14-150 CI	230	CN	104	3 601 JG3 051	GWS 18V-10 C	18	J	321/104
3 601 H26 081	GWS 14-150 CI	220	CN	104	3 601 JG3 0B0	GWS 18V-100 C	18	ROK	321/104
3 601 H26 0J0	GWS 14-150 CI	230	HK	104	3 601 JG3 0B1	GWS 18V-10 C	18	ROK	321/104
3 601 H27 000	GWS 8-125	230	EU	104	3 601 JG3 100	GWS 18V-125 C	18	---	321/104
3 601 H27 030	GWS 8-125	230	CH	104	3 601 JG3 101	GWS 18V-10 C	18	EU	321/104
3 601 H28 400	GWS 1000	230	EU	104	3 601 JG3 103	GWS 18V-115 C	18	---	321/104
3 601 H28 800	GWS 1000	230	EU	104	3 601 JG3 110	GWS18V-45C	18	USA	321/104
3 601 H28 830	GWS 1000	220	CH	104	3 601 JG3 111	GWS 18V-45C	18	USA	321/104
3 601 H29 000	GWS 14-125 CIT	230	EU	104	3 601 JG3 201	GWS 18V-10	18	EU	321/104
3 601 H29 020	GWS 14-125 CIT	230	OEUE	104	3 601 JG3 350	GWS 18V-100 SC	18	J	321/104
3 601 H29 030	GWS 14-125 CIT	230	CH	104	3 601 JG3 351	GWS 18V-10 SC	18	J	321/104
3 601 H29 040	GWS 14-125 CIT	240	AUS	104	3 601 JG3 3B0	GWS 18V-100 SC	18	ROK	321/104
3 601 H29 A00	GWS 14-125 CIT	230	EU	104	3 601 JG3 3B1	GWS 18V-10 SC	18	ROK	321/104
3 601 H29 A30	GWS 14-125 CIT	230	EU	104	3 601 JG3 400	GWS 18V-125 SC	18	---	321/104
3 601 H29 J00	GWS 14-125 INOX	230	EU	104	3 601 JG3 401	GWS 18V-10 SC	18	EU	321/104
3 601 H29 J40	GWS 14-125 INOX	240	---	104	3 601 JG3 403	GWS 18V-115 SC	18	---	321/104
3 601 H29 JE0	GWS 14-125 INOX	220	BR	104	3 601 JG3 450	GWS 18V-125 SC	18	J	321/104
3 601 H30 010	1821	120	USA	321/104	3 601 JG3 451	GWS 18V-10 SC	18	J	321/104
3 601 H30 100	GWS 11-125 CIH	230	EU	321/104	3 601 JG3 4B0	GWS 18V-125 SC	18	ROK	321/104
3 601 H30 120	GWS 11-125 CIH	230	OEUE	321/104	3 601 JG3 4B1	GWS 18V-10 SC	18	ROK	321/104
3 601 H30 130	GWS 11-125 CIH	230	CH	321/104	3 601 JG3 500	GWS 18V-EC	18	---	321/104
3 601 H30 1K0	GWS 11-125 CIH	230	ASI	321/104	3 601 JG3 501	GWS 18V-10 SC	18	EU	321/104
3 601 H30 1L0	GWS 11-125 CIH	240	MAL	321/104	3 601 JG3 601	GWS 18V-10 SC	18	EU	321/104
3 601 H30 200	GWS 15-125 CIH	230	EU	321/104	3 601 JG3 C10	GWS 18V-45PC	0	USA	321/104
3 601 H30 220	GWS 15-125 CIH	230	OEUE	321/104	3 601 JG3 C11	GWS18V-45PC	18	USA	321/104
3 601 H30 230	GWS15-125CIH	220	CH	321/104	3 601 JG3 D10	GWS 18V-45PSC	0	USA	321/104
3 601 H30 2E0	GWS 15-125 CIH	220	BR	321/104	3 601 JG3 D11	GWS18V-45PSC	18	USA	321/104
3 601 H30 2G0	GWS 15-125 CIH	127	MEX	321/104	3 601 JG3 E00	GWS 18V-45PSC	0	EU	321/104
3 601 H30 2H0	GWS 15-125 CIH	220	AR	321/104	3 601 JG3 E01	GWS 18V-10 PC	18	EU	321/104
3 601 H30 2K0	GWS 15-125 CIH	230	ASI	321/104	3 601 JG3 F00	GWS 18V-45PSC	0	EU	321/104
3 601 H30 2L0	GWS 15-125 CIH	240	MAL	321/104	3 601 JG3 F01	GWS 18V-10 PSC	18	EU	321/104
3 601 H30 2N0	GWS 15-125 CIE	220	RCH	321/104	3 603 C47 000	PWS 10-125 CE	230	EU	104
3 601 H30 300	GWS 15-125 CIEH	230	EU	321/104	3 603 C47 030	PWS 10-125 CE	230	CH	104
3 601 H30 320	GWS 15-125 CIEH	230	OEUE	321/104	3 603 C48 000	PWS 13-125 CE	230	EU	104
3 601 H30 330	GWS 15-125 CIEH	230	CH	321/104	3 603 C99 000	PWS 550	230	EU	104
3 601 H30 400	GWS 15-125 CITH	230	EU	321/104	3 603 C99 100	PWS 600	230	EU	104
3 601 H30 420	GWS 15-125 CITH	230	OEUE	321/104	3 603 C99 130	PWS 600	230	CH	104
3 601 H30 500	GWS 15-150 CIH	230	EU	321/104	3 603 C99 170	PWS 600	230	GB	104
3 601 H30 520	GWS 15-150 CIH	230	OEUE	321/104	3 603 C99 200	PWS 6-115	230	OEUE	104
3 601 H30 580	GWS 15-150 CIH	230	CN	321/104	3 603 C99 300	PWS 650	230	EU	104
3 601 H30 700	GWS 15-125 CITH	230	EU	321/104	3 603 C99 400	PWS 6-115	230	EU	104
3 601 H30 7B0	GWS 15-125 CISTH	220	ROK	321/104	3 603 C99 430	PWS 6-115	230	CH	104
3 601 H30 A10	1821 D	120	USA	321/104	3 603 C99 470	PWS 6-115	230	GB	104
3 601 H30 B00	GWS 11-125 CIH	230	EU	321/104	3 603 C99 490	PWS 6-115	230	I	104
3 601 H30 B40	GWS 11-125 CIH	240	AUS	321/104	3 603 C99 500	PWS 700	230	EU	104
3 601 H30 C00	GWS 15-125 CIH	230	EU	321/104	3 603 C99 570	PWS 720-115	230	GB	104
3 601 H30 C40	GWS 15-125 CIH	240	AUS	321/104	3 603 C99 600	PWS 7-115	230	EU	104
3 601 H30 CE0	GWS 15-125 CIH	220	BR	321/104	3 603 C99 640	PWS 7-115	240	AUS	104

8/ 8