

Код заказа	: 1 600 210 045	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 8,0x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 366 703	GPO 12 E	230	---	105	0 601 850 1AE	GWS 20-230	127	MEX	29
0 601 366 708	GPO 12 E	230	---	105	0 601 850 1AF	GWS 20-230	220	AR	29
0 601 366 732	GPO 12 E	230	---	105	0 601 850 1B4	GWS 20-230	230	ASI	29
0 601 366 737	GPO 12 E	240	---	105	0 601 850 1B5	GWS 20-230	115	RC	29
0 601 366 740	GPO 12 E	220	---	105	0 601 850 1B6	GWS 20-230	240	MAL	29
0 601 366 741	GPO 12 E	110	---	105	0 601 850 1E8	GWS 20-180	100	J	29
0 601 366 742	GPO 12 E	240	---	105	0 601 850 1F0	GWS 20-230	220	ROK	29
0 601 366 750	GPO 12 E	230	I	105	0 601 850 1F3	GWS 20-230	220	CN	29
0 601 849 003	GWS 20-180 H	230	EU	29	0 601 850 1H2	GWS 20-230 H	230	ZA	29
0 601 849 004	GWS 20-180 H	230	RI	29	0 601 850 1H7	GWS 2000	240	AUS	29
0 601 849 005	GWS 20-180 H	115	RC	29	0 601 850 1L4	GWS 20-230 H	230	IL	29
0 601 849 006	GWS 20-180 H	240	MAL	29	0 601 850 1M0	GWS 20-230	240	AUS	29
0 601 849 040	GWS 20-180 H	220	ROK	29	0 601 850 1X0	GWS 20-230	230	---	29
0 601 849 041	GWS 20-180 H	110	GB	29	0 601 850 903	GWS 20-230 JH	230	EU	29
0 601 849 042	GWS 20-180 H	230	GB	29	0 601 850 908	GWS 20-230 JH	230	OEU	29
0 601 849 043	GWS 20-180 H	230	CN	29	0 601 850 922	GWS 2000-23 JH	230	EU	29
0 601 849 050	GWS 20-180 H	230	I	29	0 601 850 925	GWS 2000-230 JH	230	EU	29
0 601 849 104	GWS 20-180	230	ASI	29	0 601 850 932	GWS 20-230 JH	230	CH	29
0 601 849 105	GWS 20-180	115	RC	29	0 601 851 003	GWS 21-180 H	230	EU	29
0 601 849 106	GWS 20-180	240	MAL	29	0 601 851 008	GWS 21-180 H	230	OEU	29
0 601 849 140	GWS 20-180	220	ROK	29	0 601 851 013	GWS 21-180 H	230	D	29
0 601 849 1A0	GWS 20-180	220	ROK	29	0 601 851 037	GWS 21-180 H	240	AUS	29
0 601 849 1A3	GWS 20-180	230	CN	29	0 601 851 050	GWS 21-180 H	230	I	29
0 601 849 1A4	GWS 20-180	230	ASI	29	0 601 851 083	GWS 21-180 H	230	EU	29
0 601 849 1A5	GWS 20-180	115	RC	29	0 601 851 0A1	GWS 21-180 H	110	SA	29
0 601 849 1A6	GWS 20-180	240	MAL	29	0 601 851 0A2	GWS 21-180 H	230	SA	29
0 601 849 1A9	GWS 20-180 H	230	ZA	29	0 601 851 0A3	GWS 21-180 H	230	EU	29
0 601 849 1AA	TWS 2000	230	CN	29	0 601 851 0A4	GWS 21-180 H	230	ZA	29
0 601 849 1AB	GWS 20-180	220	RC	29	0 601 851 0H0	1772-6	120	USA	29
0 601 849 1AC	GWS 2000	220	ROK	29	0 601 851 0L0	GWS 21-180	230	RCH	29
0 601 849 1AD	GWS 20-180	220	BR	29	0 601 851 0L1	GWS 21-180 H	110	SA	29
0 601 849 1AE	GWS 20-180	127	MEX	29	0 601 851 0L2	GWS 21-180 H	230	SA	29
0 601 849 1AF	GWS 20-180	220	AR	29	0 601 851 0L4	GWS 21-180 H	230	EU	29
0 601 849 1B4	GWS 20-180	230	ASI	29	0 601 851 903	GWS 21-180 JH	230	EU	29
0 601 849 1B5	GWS 20-180	115	RC	29	0 601 851 908	GWS 21-180 JH	230	OEU	29
0 601 849 1B6	GWS 20-180	240	MAL	29	0 601 851 913	GWS 21-180 JH	230	D	29
0 601 849 1F0	GWS 20-180	220	ROK	29	0 601 851 B03	GWS 21-180 HV	230	EU	29
0 601 849 1F3	GWS 20-180	220	CN	29	0 601 851 B08	GWS 21-180 HV	230	OEU	29
0 601 849 1H0	GWS 20-180 H	230	ZA	29	0 601 851 B60	1873-8	120	USA	29
0 601 849 1X0	GWS 20-180	230	IND	29	0 601 851 B61	1873-8F	120	USA	29
0 601 849 903	GWS 20-180 JH	230	EU	29	0 601 851 B64	1873-8D	120	USA	29
0 601 849 922	GWS 2000-18 JH	230	OEU	29	0 601 851 BM6	1873-8	120	USA	29
0 601 850 003	GWS 20-230 H	230	EU	29	0 601 851 BM7	1873-8F	120	USA	29
0 601 850 004	GWS 20-230 H	230	RI	29	0 601 851 BM8	1873-8D	120	USA	29
0 601 850 006	GWS 20-230 H	240	MAL	29	0 601 851 G03	GWS 21-180 JHV	230	EU	29
0 601 850 008	GWS 20-230 H	230	OEU	29	0 601 851 G08	GWS 21-180 JHV	230	OEU	29
0 601 850 037	GWS 20-230 H	240	AUS	29	0 601 851 G18	GWS 21-180 JHV	230	OEU	29
0 601 850 038	GWS 20-180 H	100	J	29	0 601 852 003	GWS 21-230 H	230	EU	29
0 601 850 041	GWS 20-230 H	110	GB	29	0 601 852 008	GWS 21-230 H	230	OEU	29
0 601 850 042	GWS 20-230 H	230	GB	29	0 601 852 013	GWS 21-230 H	230	D	29
0 601 850 043	GWS 20-230 H	230	CN	29	0 601 852 032	GWS 21-230 H	230	CH	29
0 601 850 050	GWS 20-230 H	230	I	29	0 601 852 037	GWS 21-230 H	240	AUS	29
0 601 850 065	GWS 20-230 H	230	EU	29	0 601 852 041	GWS 21-230 H	110	GB	29
0 601 850 103	GWS 20-230 H	230	EU	29	0 601 852 042	GWS 21-230 H	230	GB	29
0 601 850 104	GWS 20-230	230	ASI	29	0 601 852 050	GWS 21-230 H	230	I	29
0 601 850 106	GWS 20-230	240	MAL	29	0 601 852 065	GWS 21-230 H	230	SKA	29
0 601 850 108	GWS 20-230 H	230	OEU	29	0 601 852 083	GWS 21-230 H	230	EU	29
0 601 850 140	GWS 20-230	220	ROK	29	0 601 852 0A0	GWS 21-230 H	230	I	29
0 601 850 150	GWS 20-230 H	230	I	29	0 601 852 0A1	GWS 21-230 H	110	GB	29
0 601 850 160	GWS 20-230	240	MAL	29	0 601 852 0A3	GWS 21-230 H	230	EU	29
0 601 850 191	GWS 20-230	230	IL	29	0 601 852 0A4	GWS 21-230 H	230	SMA	29
0 601 850 192	GWS 20-230	115	SA	29	0 601 852 0F1	GWS 21-230 H	230	SA	29
0 601 850 193	GWS 20-230	230	EU	29	0 601 852 0G0	GWS 21-230 H	230	IL	29
0 601 850 1A0	GWS 20-230	220	ROK	29	0 601 852 0L0	GWS 21-230	230	RCH	29
0 601 850 1A3	GWS 20-230	230	CN	29	0 601 852 0L4	GWS 21-230 H	230	SMA	29
0 601 850 1A4	GWS 20-230	230	T	29	0 601 852 903	GWS 21-230 JH	230	EU	29
0 601 850 1A7	GWS 20-230	240	AUS	29	0 601 852 908	GWS 21-230 JH	230	OEU	29
0 601 850 1A8	GWS 20-180	100	J	29	0 601 852 913	GWS 21-230 JH	230	D	29
0 601 850 1A9	GWS 20-230 H	230	ZA	29	0 601 852 932	GWS 21-230 JH	230	CH	29
0 601 850 1AD	GWS 20-230	220	BR	29	0 601 852 965	GWS 21-230 JH	230	SKA	29

Код заказа	: 1 600 210 045	Информации о	: S
Обозначение	: Кольцо уплотнительное	Цена	: 0,00
Техническая информация	: 8,0x1,0 MM		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 852 B03	GWS 21-230 HV	230	EU	29	0 601 854 G65	GWS 24-230 JBV	230	SKA	29
0 601 852 B08	GWS 21-230 HV	230	OEU	29	0 601 855 003	GWS 26-180 B	230	EU	29
0 601 852 B39	1853-6	120	USA	29	0 601 855 037	GWS 26-180 B	240	AUS	29
0 601 852 B41	GWS 21-230 HV	110	GB	29	0 601 855 403	GWS 26-180 H	230	EU	29
0 601 852 B42	GWS 21-230 HV	230	GB	29	0 601 855 493	GWS 26-180 H	230	EU	29
0 601 852 B60	1893-6	120	USA	29	0 601 855 903	GWS 26-180 JB	230	EU	29
0 601 852 B61	1853-5	120	USA	29	0 601 855 B03	GWS 26-180 BV	230	EU	29
0 601 852 B64	1893-6D	120	USA	29	0 601 855 G03	GWS 26-180 JBV	230	EU	29
0 601 852 B65	GWS 21-230 HV	230	SKA	29	0 601 856 003	GWS 26-230 B	230	EU	29
0 601 852 BM6	1893-6	120	USA	29	0 601 856 037	GWS 26-230 B	240	AUS	29
0 601 852 BM7	1853-5	120	USA	29	0 601 856 050	GWS 26-230 B	230	I	29
0 601 852 C60	1873-6	120	USA	29	0 601 856 065	GWS 26-230 B	230	D	29
0 601 852 G03	GWS 21-230 JHV	230	EU	29	0 601 856 403	GWS 26-230 H	230	EU	29
0 601 852 G08	GWS 21-230 JHV	230	OEU	29	0 601 856 437	GWS 26-230 H	240	AUS	29
0 601 852 G32	GWS 21-230 JHV	230	CH	29	0 601 856 493	GWS 26-230 H	230	EU	29
0 601 852 G65	GWS 21-230 JHV	230	SKA	29	0 601 856 503	GWS 26-230 JH	230	EU	29
0 601 853 003	GWS 24-180 B	230	EU	29	0 601 856 903	GWS 26-230 JB	230	EU	29
0 601 853 043	GWS 24-180 B	230	CN	29	0 601 856 908	GWS 26-230 JB	230	OEU	29
0 601 853 065	GWS 24-180 B	230	SKA	29	0 601 856 965	GWS 26-230 JB	230	D	29
0 601 853 173	GWS 24-180 B	230	D	29	0 601 856 B03	GWS 26-230 BV	230	EU	29
0 601 853 185	GWS 24-180 B	230	SKA	29	0 601 856 B37	GWS 26-230 BV	240	AUS	29
0 601 853 403	GWS 24-180 H	230	EU	29	0 601 856 B65	GWS 26-230 BV	230	SKA	29
0 601 853 493	GWS 24-180 H	230	EU	29	0 601 856 G03	GWS 26-230 JBV	230	EU	29
0 601 853 4X0	GWS 24-180	0	EU	29	0 601 856 G08	GWS 26-230 JBV	230	OEU	29
0 601 853 873	GWS 24-180 JB	230	D	29	0 601 856 G60	GWS 26-230 JBV	230	F	29
0 601 853 903	GWS 24-180 JB	230	EU	29	0 601 856 G65	GWS 26-230 JBV	230	SKA	29
0 601 853 B65	GWS 24-180 BV	230	SKA	29	0 601 856 K32	GWS 26-230 JBV	230	CH	29
0 601 853 G03	GWS 24-180 JBV	230	EU	29	0 601 863 187	GWS 24-180 BX	240	AUS	29
0 601 853 G08	GWS 24-180 JBV	230	OEU	29	0 601 863 873	GWS 24-180 JBX	230	EU	29
0 601 853 G37	GWS 24-180 JBV	240	AUS	29	0 601 864 187	GWS 24-230 BX	240	AUS	29
0 601 854 003	GWS 24-230 B	230	EU	29	0 601 864 865	GWS 24-230 JBX	230	SKA	29
0 601 854 008	GWS 24-230 B	230	OEU	29	0 601 864 872	GWS 24-230 JBX	230	CH	29
0 601 854 041	GWS 24-230 B	110	GB	29	0 601 864 873	GWS 24-230 JBX	230	EU	29
0 601 854 042	GWS 24-230 B	230	GB	29	0 601 864 878	GWS 24-230 JBX	230	OEU	29
0 601 854 043	GWS 24-230 B	230	CN	29	0 602 120 101	GR.55	265	---	59
0 601 854 050	GWS 24-230 B	230	I	29	0 602 120 104	GR.55	135	---	59
0 601 854 065	GWS 24-230 B	230	SKA	29	0 602 120 107	GR.55	72	---	59
0 601 854 173	GWS 24-230 B	230	D	29	0 602 120 161	GR.55	265	---	59
0 601 854 181	GWS 24-230 B	110	GB	29	0 602 121 101	GR.55	265	---	59
0 601 854 182	GWS 24-230 B	230	GB	29	0 602 121 104	GR.55	135	---	59
0 601 854 185	GWS 24-230 B	230	SKA	29	0 602 121 107	GR.55	72	---	59
0 601 854 403	GWS 24-230 H	230	EU	29	0 602 121 161	GR.55	265	---	59
0 601 854 408	GWS 24-230 H	230	OEU	29	0 602 122 101	GR.55	265	---	59
0 601 854 462	GWS 24-230 H	230	F	29	0 602 127 101	GR.57	265	---	59
0 601 854 493	GWS 24-230 H	230	EU	29	0 602 127 104	GR.57	135	---	59
0 601 854 4X0	GWS 24-230	230	EU	29	0 602 127 107	GR.57	72	---	59
0 601 854 503	GWS 24-230 JH	230	EU	29	0 602 127 161	GR.55	265	---	59
0 601 854 522	GWS 2400-23 JH	230	EU	29	0 602 131 101	GR.57	265	---	59
0 601 854 832	GWS 24-230 JB	230	CH	29	0 602 131 104	GR.57	135	---	59
0 601 854 841	GWS 24-230 JB	110	GB	29	0 602 131 107	GR.57	72	---	59
0 601 854 842	GWS 24-230 JB	230	GB	29	0 602 131 161	GR.57	265	---	59
0 601 854 873	GWS 24-230 JB	230	D	29	0 602 132 101	GR.57	265	---	59
0 601 854 878	GWS 24-230 JB	230	OEU	29	0 602 132 104	GR.57	135	---	59
0 601 854 903	GWS 24-230 JB	230	EU	29	0 602 132 107	GR.57	72	---	59
0 601 854 908	GWS 24-230 JB	230	OEU	29	0 602 132 161	GR.57	265	---	59
0 601 854 932	GWS 24-230 JB	230	CH	29	0 602 133 101	GR.57	265	---	59
0 601 854 942	GWS 24-230 JB	230	GB	29	0 602 133 104	GR.57	135	---	59
0 601 854 965	GWS 24-230 JB	230	SKA	29	0 602 133 107	GR.57	135	---	59
0 601 854 B03	GWS 24-230 BV	230	EU	29	0 602 133 161	GR.57	265	---	59
0 601 854 B08	GWS 24-230 BV	230	OEU	29	0 602 134 101	GR.57	265	---	59
0 601 854 B41	GWS 24-230 BV	110	GB	29	0 602 134 104	GR.57	135	---	59
0 601 854 B42	GWS 24-230 BV	230	GB	29	0 602 135 001	GR.57	265	---	59
0 601 854 B60	1894-6	120	USA	29	0 602 135 004	GR.57	135	---	59
0 601 854 B64	1894-6D	120	USA	29	0 602 135 007	GR.57	72	---	59
0 601 854 B65	GWS 24-230 BV	230	SKA	29	0 602 135 101	GR.57	265	---	59
0 601 854 G03	GWS 24-230 JBV	230	EU	29	0 602 135 104	GR.57	0	---	59
0 601 854 G08	GWS 24-230 JBV	230	OEU	29	0 602 135 107	GR.57	72	---	59
0 601 854 G32	GWS 24-230 JBV	230	CH	29	0 602 135 111	GR.57	0	---	59
0 601 854 G37	GWS 24-230 JBV	240	AUS	29	0 602 135 201	GR.57	265	---	59
0 601 854 G42	GWS 24-230 JBV	230	GB	29	0 602 413 001	----	265	---	73

Код заказа : 1 600 210 045

Информации о : S

Обозначение : Кольцо уплотнительное

Цена : 0,00

Техническая информация : 8,0x1,0 MM

Продукт	Торговое	Вольт	Стра	Поз
0 602 413 004	----	135	---	73
0 602 413 005	----	135	---	73
0 602 413 006	----	135	---	73
0 602 413 007	----	72	---	73
0 602 413 014	----	120	---	73
0 602 413 061	----	265	---	73
0 602 413 064	----	135	---	73
0 602 413 065	----	135	---	73
0 602 413 066	----	135	---	73
0 602 413 067	----	72	---	73
0 602 413 068	----	72	---	73
0 602 413 101	----	265	---	73
0 602 413 104	----	135	---	73
0 602 413 107	----	72	---	73
0 602 413 114	----	120	---	73
0 602 413 161	----	265	---	73
0 602 413 164	----	135	---	73
0 602 413 167	----	72	---	73
0 602 413 261	----	265	---	73
0 602 413 264	----	135	---	73
0 602 413 267	----	72	---	73
0 602 413 271	----	265	---	73
0 602 413 274	----	135	---	73
0 602 414 004	----	135	---	73
0 602 414 006	----	135	---	73
0 602 414 011	----	0	---	73
0 602 414 018	----	0	---	73
0 602 414 061	----	0	---	73
0 602 414 063	----	0	---	73
0 602 414 064	----	0	---	73
0 602 414 065	----	0	---	73
0 602 414 104	----	135	---	73
0 602 414 118	----	0	---	73
0 602 414 161	----	0	---	73
0 602 414 164	----	0	---	73
0 602 414 165	----	0	---	73
0 602 414 261	----	0	---	73
0 602 414 264	----	0	---	73
0 602 414 265	----	0	---	73
0 602 415 001	----	265	---	73
0 602 415 004	----	135	---	73
0 602 415 006	----	135	---	73
0 602 415 007	----	72	---	73
0 602 415 011	----	0	---	73
0 602 415 101	----	265	---	73
0 602 415 104	----	135	---	73
0 602 415 107	----	72	---	73
0 602 440 001	----	265	---	73
0 602 440 004	----	135	---	73
0 602 440 005	----	135	---	73
0 602 440 006	----	135	---	73
0 602 440 007	----	72	---	73
0 602 440 014	----	120	---	73
0 602 440 061	----	265	---	73
0 602 440 062	----	135	---	73
0 602 440 063	----	265	---	73
0 602 440 064	----	135	---	73
0 602 441 004	----	0	---	73
0 602 441 006	----	0	---	73
0 602 441 011	----	0	---	73
0 602 441 018	----	0	---	73
0 602 441 061	----	0	---	73
0 602 463 001	----	265	---	73
0 602 463 004	----	135	---	73
0 602 463 006	----	135	---	73
0 602 463 007	----	72	---	73
0 602 463 101	----	265	---	73
0 602 463 104	----	135	---	73
0 602 463 107	----	72	---	73
0 602 464 004	----	0	---	73

Продукт	Торговое	Вольт	Стра	Поз
0 602 464 006	----	0	---	73
0 602 464 011	----	0	---	73
0 602 464 018	----	0	---	73
0 602 464 104	----	0	---	73
0 602 486 001	----	265	---	73
0 602 486 004	----	135	---	73
0 602 486 006	----	135	---	73
0 602 486 007	----	72	---	73
0 602 486 011	----	0	---	73
0 602 486 018	----	0	---	73
0 602 486 064	----	135	---	73
0 602 486 101	----	265	---	73
0 602 486 104	----	135	---	73
0 602 486 107	----	72	---	73
0 602 486 111	----	0	---	73
0 602 486 118	----	0	---	73
0 602 486 161	----	265	---	73
0 602 486 164	----	135	---	73
0 602 486 167	----	72	---	73
0 602 486 201	----	265	---	73
0 602 486 204	----	0	---	73
0 602 486 207	----	72	---	73
0 602 486 261	----	265	---	73
0 602 486 264	----	135	---	73
0 602 486 267	----	72	---	73
0 602 489 001	----	265	---	73
0 602 489 004	----	135	---	73
0 602 489 007	----	72	---	73
0 602 489 018	----	0	---	73
0 603 350 265	PWS 21-230	230	F	29
0 603 350 266	PWS 21-230	230	F	29
0 603 359 003	PWS 20-230	230	EU	29
0 603 359 020	PWS 1900	230	EU	29
0 603 359 022	PWS 1900	230	GB	29
0 603 359 028	PWS 1900	230	OEU	29
0 603 359 603	PWS 20-230	230	EU	29
0 603 359 903	PWS 20-230	230	EU	29
0 603 359 908	PWS 20-230	230	OEU	29
0 603 359 932	PWS 20-230	230	CH	29
3 601 H49 L03	GWS 20-180 H	230	EU	29
3 601 H50 101	GWS 20-230H	230	EU	29
3 601 H50 102	GWS 20-230H	230	EU	29
3 601 H50 103	GWS 20-230 H	0	EU	29
3 601 H50 L00	GWS 20-230H	230	EU	29
3 601 H50 L01	GWS 20-230H	230	EU	29
3 601 H50 L02	GWS 20-230H	230	EU	29
3 601 H50 L03	GWS 20-230 H	230	EU	29
3 601 H50 L60	GWS 20-230H	110	GB	29
3 601 H50 L62	GWS 20-230H	110	GB	29
3 601 H50 L63	GWS 20-230 H	115	GB	29
3 601 H50 L64	GWS 14-125	0	---	29
3 601 H50 L70	GWS 20-230H	230	GB	29
3 601 H50 L72	GWS 20-230H	230	GB	29
3 601 H50 L73	GWS 20-230 H	230	GB	29
3 601 H50 M00	GWS 20-230JH	230	EU	29
3 601 H50 M01	GWS 20-230JH	230	EU	29
3 601 H50 M02	GWS 20-230 JH	230	EU	29
3 601 H50 M30	GWS 20-230JH	230	CH	29
3 601 H50 M31	GWS 20-230JH	230	CH	29
3 601 H50 M32	GWS 20-230 JH	230	CH	29
3 601 H51 L03	GWS 21-180 H	230	EU	29
3 601 H51 X00	GWS 2200-180 H	230	AFR	29
3 601 H51 X60	GWS 2200-180 H	110	SA	29
3 601 H51 XP0	GWS 2200-180 H	230	SA	29
3 601 H51 XP1	GWS 2200-180 H	230	SA	29
3 601 H52 L02	GWS 21-230 H	230	EU	29
3 601 H52 X00	GWS 2200-230 H	230	AFR	29
3 601 H52 X60	GWS 2200-230 H	110	SA	29
3 601 H52 XP0	GWS 2200-230 H	230	SA	29
3 601 H52 XP1	GWS 2200-230 H	230	SA	29

Код заказа : **1 600 210 045**

 Информации о : **S**

 Обозначение : **Кольцо уплотнительное**

 Цена : **0,00**

 Техническая информация : **8,0x1,0 MM**

Продукт	Торговое	Вольт	Стра	Поз
3 601 H53 100	GWS 24-180 H	230	EU	29
3 601 H53 1P0	GWS 24-180 H	230	SMA	29
3 601 H53 M00	GWS 24-180 JH	230	EU	29
3 601 H54 100	GWS 24-230 H	230	EU	29
3 601 H54 1P0	GWS 24-230 H	230	SMA	29
3 601 H54 L00	GWS 24-230 H	230	EU	29
3 601 H54 M00	GWS 24-230 JH	230	EU	29
3 601 H55 100	GWS 26-180 H	230	EU	29
3 601 H55 101	GWS 26-180 JH	230	EU	29
3 601 H55 102	GWS 26-180 JH	230	EU	21/29
3 601 H55 K40	GWS 26-180 B	240	AUS	29
3 601 H55 M00	GWS 26-180 JH	230	EU	29
3 601 H55 M01	GWS 26-180 JH	230	EU	29
3 601 H55 M02	GWS 26-180 JH	230	---	21/29
3 601 H55 M04	GWS 26-180 JH	230	---	21/29
3 601 H55 U00	GWS 26-180 JBV	230	EU	29
3 601 H56 100	GWS 26-230 JH	230	EU	29
3 601 H56 101	GWS 26-230 JH	230	EU	29
3 601 H56 102	GWS 26-230 JH	230	EU	21/29
3 601 H56 103	GWS 26-230 H	230	---	21/29
3 601 H56 1P0	GWS 26-230 H	230	SMA	29
3 601 H56 1P1	GWS 26-230 JH	230	EU	29
3 601 H56 1P2	GWS 26-230 JH	230	EU	21/29
3 601 H56 1P3	GWS 26-230 H	230	---	21/29
3 601 H56 300	GWS 26-230 B	230	EU	29
3 601 H56 301	GWS 26-230 B	230	EU	29
3 601 H56 302	GWS 26-230 B	230	EU	21/29
3 601 H56 304	GWS 26-230 B	230	---	21/29
3 601 H56 500	GWS 26-230 JBV	230	EU	29
3 601 H56 K40	GWS 26-230 B	240	AUS	29
3 601 H56 L40	GWS 26-230 H	240	AUS	29
3 601 H56 L41	GWS 26-230 JH	230	EU	29
3 601 H56 L42	GWS 26-230 JH	230	EU	21/29
3 601 H56 M00	GWS 26-230 JH	230	EU	29
3 601 H56 M01	GWS 26-230 JH	230	EU	29
3 601 H56 M02	GWS 26-230 JH	230	EU	21/29
3 601 H56 S00	GWS 26-230 JBV	230	EU	29
3 601 H56 U00	GWS 26-230 JBV	230	EU	29
3 601 H56 U30	GWS 26-230 JBV	230	CH	29
3 601 H64 400	GWS 24-230 JBX	230	EU	29
3 601 H64 500	GWS 24-230 JVX	230	EU	29
3 601 H64 501	GWS 24-230 JVX	230	EU	29
3 601 H64 502	GWS 24-230 JVX	230	EU	29
3 601 H64 505	GWS 24-230 JVX	230	EU	21/29
3 601 H64 R00	GWS 24-230 JBX	230	EU	29
3 601 H64 T00	GWS 24-230 JBX	230	EU	29
3 601 H64 U00	GWS 24-230 JVX	230	EU	29
3 601 H64 U01	GWS 24-230 JVX	230	EU	29
3 601 H64 U07	GWS 24-230 JVX	230	EU	21/29
3 601 H64 Z00	GWS 24-230 JVX	230	EU	29
3 601 H64 Z01	GWS 24-230 JVX	230	EU	29
3 601 H64 Z02	GWS 24-230 JVX	230	EU	29
3 601 H64 Z05	GWS 24-230 JVX	230	EU	21/29
3 601 H81 100	GWS 22-180 H	230	EU	29
3 601 H81 101	GWS 22-180 H	230	EU	29
3 601 H81 102	GWS 22-180 H	230	---	21/29
3 601 H81 103	GWS 22-180 H	230	EU	21/29
3 601 H81 1P0	GWS 22-180 H	230	SMA	29
3 601 H81 A80	GWS 22-180	230	CN	29
3 601 H81 AB0	GWS 22-180	220	ROK	29
3 601 H81 AK0	GWS 22-180	230	ASI	29
3 601 H81 AL0	GWS 22-180	240	MAL	29
3 601 H81 L00	GWS 22-180 H	230	EU	29
3 601 H81 L01	GWS 22-180 H	230	EU	29
3 601 H81 L02	GWS 22-180 H	230	EU	21/29
3 601 H81 L03	GWS 22-180 H	230	EU	21/29
3 601 H81 L60	GWS 22-180 H	110	GB	29
3 601 H81 L61	GWS 22-180 H	110	GB	29
3 601 H81 L62	GWS 22-180 H	110	GB	21/29
3 601 H81 L63	GWS 22-180 H	110	GB	21/29

Продукт	Торговое	Вольт	Стра	Поз
3 601 H81 L70	GWS 22-180 H	230	GB	29
3 601 H81 L71	GWS 22-180 H	230	GB	29
3 601 H81 L72	GWS 22-180 H	230	---	21/29
3 601 H81 L73	GWS 22-180 H	230	GB	21/29
3 601 H81 M00	GWS 22-180 JH	230	EU	29
3 601 H81 M01	GWS 22-180 JH	230	EU	29
3 601 H81 M02	GWS 22-180 JH	230	EU	21/29
3 601 H81 M03	GWS 22-180 JH	230	EU	21/29
3 601 H81 Y00	GWS 22-180 H	230	EU	29
3 601 H81 Y01	GWS 22-180 H	230	EU	29
3 601 H81 Z00	GWS 22-180 JH	230	EU	29
3 601 H81 Z01	GWS 22-180 JH	230	EU	29
3 601 H82 100	GWS 22-230 H	230	EU	29
3 601 H82 101	GWS 22-230 H	230	EU	29
3 601 H82 102	GWS 230 H	230	EU	29
3 601 H82 103	GWS 22-230 H	230	---	21/29
3 601 H82 104	GWS 230 H	230	EU	29
3 601 H82 105	GWS 22-230 H	230	EU	21/29
3 601 H82 106	GWS 22-230 H	230	EU	21/29
3 601 H82 190	GWS 22-230 H	230	EU	29
3 601 H82 191	GWS 22-230 H	230	EU	29
3 601 H82 193	GWS 22-230 H	230	EU	21/29
3 601 H82 194	GWS 22-230 H	230	---	29
3 601 H82 195	GWS 22-230 H	230	---	21/29
3 601 H82 1P0	GWS 22-230 H	230	SMA	29
3 601 H82 1P2	GWS 22-230 H	230	GB	29
3 601 H82 1P3	GWS 22-230 H	230	EU	29
3 601 H82 1P4	GWS 22-230 H	230	---	21/29
3 601 H82 1P6	GWS 22-230 H	230	GB	21/29
3 601 H82 200	GWS 22-230 JH	230	EU	29
3 601 H82 201	GWS 22-230 JH	230	EU	29
3 601 H82 202	GWS 22-230 JH	230	EU	21/29
3 601 H82 203	GWS 22-230 JH	230	EU	21/29
3 601 H82 205	GWS 22-230 JH	230	EU	21/29
3 601 H82 206	GWS 22-230 H	230	EU	21/29
3 601 H82 A40	GWS 22	240	AUS	29
3 601 H82 A80	GWS 22-230	230	CN	29
3 601 H82 AB0	GWS 22-230	220	ROK	29
3 601 H82 AK0	GWS 22-230	230	ASI	29
3 601 H82 L00	GWS 22-230 H	230	EU	29
3 601 H82 L01	GWS 22-230 H	230	GB	29
3 601 H82 L02	GWS 230 H	230	GB	29
3 601 H82 L03	GWS 22-230 H	230	GB	21/29
3 601 H82 L04	GWS 230 H	230	GB	29
3 601 H82 L05	GWS 22-230 H	230	EU	21/29
3 601 H82 L60	GWS 22-230 H	110	GB	29
3 601 H82 L61	GWS 22-230 H	110	GB	29
3 601 H82 L62	GWS 230 H	110	GB	29
3 601 H82 L63	GWS 22-230 H	110	GB	21/29
3 601 H82 L64	GWS 2030 H	110	---	29
3 601 H82 L65	GWS 22-230 H	110	GB	21/29
3 601 H82 L66	GWS 22-230 H	110	GB	21/29
3 601 H82 L70	GWS 22-230 H	230	GB	29
3 601 H82 L71	GWS 22-230 H	230	GB	29
3 601 H82 L72	GWS 230 H	230	GB	29
3 601 H82 L73	GWS 22-230 H	230	GB	21/29
3 601 H82 L74	GWS 230 H	230	---	29
3 601 H82 L75	GWS 22-230 H	230	GB	21/29
3 601 H82 M00	GWS 22-230 JH	230	EU	29
3 601 H82 M01	GWS 22-230 JH	230	EU	29
3 601 H82 M02	GWS 230 JH	230	EU	29
3 601 H82 M03	GWS 22-230 JH	230	---	21/29
3 601 H82 M04	GWS 230 JH	230	EU	29
3 601 H82 M05	GWS 22-230 JH	230	EU	21/29
3 601 H82 M30	GWS 22-230 JH	230	CH	29
3 601 H82 M31	GWS 22-230 JH	230	CH	29
3 601 H82 M32	GWS 22-230 JH	230	CH	21/29
3 601 H82 M33	GWS 22-230 JH	230	CH	21/29
3 601 H82 X00	GWS 22-230 H	230	EU	29
3 601 H82 X01	GWS 22-230 H	230	EU	29

Код заказа : **1 600 210 045**

 Информации о : **S**

 Обозначение : **Кольцо уплотнительное**

 Цена : **0,00**

 Техническая информация : **8,0x1,0 MM**

Продукт	Торговое	Вольт	Стра	Поз
3 601 H82 Y00	GWS 22-230 H	230	EU	29
3 601 H82 Y01	GWS 22-230 H	230	EU	29
3 601 H82 Z00	GWS 22-230 H	230	EU	29
3 601 H82 Z01	GWS 22-230 JH	230	EU	29
3 601 H83 100	GWS 24-180 H	0	---	29
3 601 H83 101	GWS 24-180 JH	230	EU	21/29
3 601 H83 103	GWS 24-180 H	230	EU	21/29
3 601 H83 180	GWS 24-180 H	0	---	29
3 601 H83 181	GWS 24-180 JH	230	---	21/29
3 601 H83 1P0	GWS 24-180 H	0	---	29
3 601 H83 M00	GWS 24-180 JH	230	EU	29
3 601 H83 M01	GWS 24-180 JH	230	EU	21/29
3 601 H83 M02	GWS 24-180 JH	230	EU	21/29
3 601 H84 100	GWS 24-230 H	0	---	29
3 601 H84 101	GWS 24-230 H	230	---	21/29
3 601 H84 104	GWS 24-230H	230	EU	21/29
3 601 H84 180	GWS 24-230 H	0	---	29
3 601 H84 181	GWS 24-230 H	230	---	21/29
3 601 H84 1P0	GWS 24-230 H	0	---	29
3 601 H84 1P1	GWS 24-230 H	230	---	21/29
3 601 H84 1P2	GWS 24-230 H	230	GB	21/29
3 601 H84 200	GWS 24-230 JH	0	---	29
3 601 H84 201	GWS 24-230 JH	230	EU	21/29
3 601 H84 203	GWS 24-230 H	230	EU	21/29
3 601 H84 204	GWS 24-230 JH	230	EU	21/29
3 601 H84 205	GWS 24-230 JH	230	EU	21/29
3 601 H84 L00	GWS 24-230 H	230	EU	29
3 601 H84 L01	GWS 24-230 H	230	EU	21/29
3 601 H84 L02	GWS 24-230 H	230	EU	21/29
3 601 H84 M00	GWS 24-23 JH	0	---	29
3 601 H84 M01	GWS 24-23 JH	230	---	21/29
3 601 H84 M02	GWS 24-230 JH	230	---	21/29
3 601 H84 M03	GWS 24-230 JH	230	EU	21/29
3 601 H84 M30	GWS 24-230 JH	0	---	29
3 601 H84 M31	GWS 24-230 JH	230	---	21/29
3 601 H84 M32	GWS 24-230 JH	230	CH	21/29
3 601 H84 M33	GWS 24-230 JH	230	CH	21/29
3 601 H90 CE0	GWS 22-180 LVI	220	BR	29
3 601 H90 CN0	GWS 22-180 LVI	220	RCH	29
3 601 H90 D00	GWS 22-180 LVI	230	EU	29
3 601 H90 D01	GWS 22-180 LVI	230	EU	29
3 601 H90 D02	GWS 22-180 LVI	230	EU	29
3 601 H90 DH0	GWS 22-180 LVI	220	AR	29
3 601 H90 E10	1974-8D	120	USA	29
3 601 H90 E11	1974-8D Bare	120	USA	29
3 601 H90 E12	1974-8D	120	USA	29
3 601 H90 E80	GWS 22-180 LV	230	CN	29
3 601 H90 N10	1974-8	120	USA	29
3 601 H90 N11	1974-8 Bare	120	USA	29
3 601 H90 N12	1974-8	120	USA	29
3 601 H91 C00	GWS 22-230 LVI	230	EU	29
3 601 H91 C01	GWS 22-230 LVI	230	EU	29
3 601 H91 C02	GWS 22-230 LVI	230	EU	29
3 601 H91 C60	GWS 22-230 LVI	110	GB	29
3 601 H91 C61	GWS 22-230 LVI	110	GB	29
3 601 H91 C62	GWS 22-230 LVI	230	GB	29
3 601 H91 C70	GWS 22-230 LVI	230	GB	29
3 601 H91 C71	GWS 22-230 LVI	230	GB	29
3 601 H91 C72	GWS 22-230 LVI	230	GB	29
3 601 H91 CE0	GWS 22-230 LVI	220	BR	29
3 601 H91 CN0	GWS 22-230 LVI	220	RCH	29
3 601 H91 D00	GWS 22-230 LVI	230	EU	29
3 601 H91 D01	GWS 22-230 LVI	230	EU	29
3 601 H91 D02	GWS 22-230 LVI	230	EU	29
3 601 H91 D30	GWS 22-230 LVI	230	CH	29
3 601 H91 D31	GWS 22-230 LVI	230	RCH	29
3 601 H91 D32	GWS 22-230 LVI	230	CH	29
3 601 H91 D90	GWS 22-230 LVI	230	SMA	29
3 601 H91 DH0	GWS 22-230 LVI	220	AR	29
3 601 H91 E40	GWS 22-230 LV	240	AUS	29

Продукт	Торговое	Вольт	Стра	Поз
3 601 H91 E41	GWS 22-230 LV	240	AUS	29
3 601 H91 E42	GWS 22-230 LV	240	AUS	29
3 601 H92 CB0	GWS 24-180 LVI	220	ROK	29
3 601 H92 E40	GWS 24-180 LV	240	AUS	29
3 601 H92 E41	GWS 24-180 LV	240	AUS	29
3 601 H92 E42	GWS 24-180 LV	240	AUS	29
3 601 H92 F00	GWS 24-180 LVI	230	EU	29
3 601 H92 F01	GWS 24-180 LVI	230	EU	29
3 601 H92 F02	GWS 24-180 LVI	230	EU	29
3 601 H92 FB0	GWS 24-180 LVI	220	ROK	29
3 601 H92 FB1	GWS 24-180 LVI	220	ROK	29
3 601 H92 FB2	GWS 24-180 LVI	220	ROK	29
3 601 H92 FH0	GWS 24-180 LVI	220	AR	29
3 601 H92 FH1	GWS 24-180 LVI	0	---	29
3 601 H92 FH2	GWS 24-180 LVI	0	AR	29
3 601 H92 G80	GWS 24-180 LV	230	CN	29
3 601 H92 H40	GWS 24-180 LVI	240	AUS	29
3 601 H92 H41	GWS 24-180 LVI	240	AUS	29
3 601 H92 H42	GWS 24-180 LVI	240	AUS	29
3 601 H92 HE0	GWS 24-180 LVI	220	BR	29
3 601 H92 HE1	GWS 24-180 LVI	220	BR	29
3 601 H92 HE2	GWS 24-180 LVI	220	BR	29
3 601 H92 HN0	GWS 24-180 LVI	220	RCH	29
3 601 H92 HN1	GWS 24-180 LVI	220	RCH	29
3 601 H92 HN2	GWS 24-180 LVI	220	RCH	29
3 601 H93 A10	1994-6	120	USA	29
3 601 H93 A11	1994-6 Bare	120	USA	29
3 601 H93 A12	1994-6	120	USA	29
3 601 H93 CB0	GWS 24-230 LVI	220	ROK	29
3 601 H93 F00	GWS 24-230 LVI	230	EU	29
3 601 H93 F01	GWS 24-230 LVI	230	EU	29
3 601 H93 F02	GWS 24-230 LVI	230	EU	29
3 601 H93 F30	GWS 24-230 LVI	230	CH	29
3 601 H93 F31	GWS 24-230 LVI	230	RCH	29
3 601 H93 F32	GWS 24-230 LVI	230	CH	29
3 601 H93 F90	GWS 24-230 LVI	230	SMA	29
3 601 H93 FB0	GWS 24-180 LVI	220	ROK	29
3 601 H93 FB1	GWS 24-230 LVI	220	ROK	29
3 601 H93 FB2	GWS 24-230 LVI	220	ROK	29
3 601 H93 FH0	GWS 24-230 LVI	220	AR	29
3 601 H93 FH1	GWS 24-230 LVI	220	AR	29
3 601 H93 FH2	GWS 24-230 LVI	220	AR	29
3 601 H93 G10	1994-6D	120	USA	29
3 601 H93 G11	1994-6D Bare	120	USA	29
3 601 H93 G12	1994-6D	120	USA	29
3 601 H93 G40	GWS 24-230 LVI	240	AUS	29
3 601 H93 G41	GWS 24-230 LV	240	AUS	29
3 601 H93 H00	GWS 24-230 LVI	230	EU	29
3 601 H93 H01	GWS 24-230 LVI	230	EU	29
3 601 H93 H02	GWS 24-230 LVI	230	D	29
3 601 H93 H40	GWS 24-230 LVI	240	AUS	29
3 601 H93 H41	GWS 24-230 LVI	240	AUS	29
3 601 H93 H42	GWS 24-230 LVI	240	AUS	29
3 601 H93 H60	GWS 24-230 LVI	110	GB	29
3 601 H93 H61	GWS 24-230 LVI	110	GB	29
3 601 H93 H62	GWS 24-230 LVI	110	GB	29
3 601 H93 H70	GWS 24-230 LVI	230	GB	29
3 601 H93 H71	GWS 24-230 LVI	230	GB	29
3 601 H93 H72	GWS 24-230 LVI	230	GB	29
3 601 H93 HE0	GWS 24-230 LVI	220	BR	29
3 601 H93 HE1	GWS 24-230 LVI	220	BR	29
3 601 H93 HE2	GWS 24-230 LVI	220	LAM	29
3 601 H93 HN0	GWS 24-230 LVI	220	RCH	29
3 601 H93 HN1	GWS 24-230 LVI	220	RCH	29
3 601 H93 HN2	GWS 24-230 LVI	220	RCH	29
3 601 H93 J40	GWS 24-230 LVI	240	AUS	29
3 601 H93 J41	GWS 24-230 LVJ	240	AUS	29
3 601 H94 F00	GWS 26-180 LVI	230	EU	29
3 601 H94 F01	GWS 26-180 LVI	230	EU	29
3 601 H94 F02	GWS 26-180 LVI	230	EU	29

