

Код заказа	: 1 603 414 026	Информации о	: S
Обозначение	: ВИНТ С ГОЛОВКОЙ TORX	Цена	: 0,00
Техническая информация	: 4x30		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
3 601 G90 000	GWS 9-115	230	EU	54	3 601 G96 040	GWS 15-125 CIE	240	AUS	54
3 601 G90 010	AG40-85	120	USA	54	3 601 G96 090	GWS 15-125 CIE	230	IL	54
3 601 G90 030	GWS 9-115	230	CH	54	3 601 G96 0E0	GWS 15-125 CIE	220	BR	54
3 601 G90 040	GWS 9-115	240	AUS	54	3 601 G96 0G0	GWS 15-125 CIE	127	BR	54
3 601 G90 060	GWS 9-115	110	GB	54	3 601 G96 0H0	GWS 15-125 CIE	220	AR	54
3 601 G90 070	GWS 9-115	230	GB	54	3 601 G96 0R0	GWS 17-125 CIE	230	EU	54
3 601 G90 090	GWS 9-115	230	IL	54	3 601 G96 100	GWS 15-125 CIE	230	EU	54
3 601 G90 0E0	GWS 9-115	220	RCH	54	3 601 G96 200	GWS 15-125 CIEP	230	EU	54
3 601 G90 0G0	GWS 9-115	127	MEX	54	3 601 G96 240	GWS 15-125 CIEP	240	AUS	54
3 601 G90 0H0	GWS 9-115	220	AR	54	3 601 G96 270	GWS 15-125 CIEP	230	GB	54
3 601 G90 0R0	GWS 9-115	230	EU	54	3 601 G97 000	GWS 15-125 CIT	230	EU	54
3 601 G90 200	GWS 9-115 P	230	EU	54	3 601 G97 030	GWS 15-125 CIT	230	CH	54
3 601 G90 210	AG40-85PD	120	USA	54	3 601 G97 040	GWS 15-125 CIT	240	AUS	54
3 601 G90 260	GWS 9-115 P	110	GB	54	3 601 G97 0R0	GWS 17-125 CIT	230	EU	54
3 601 G90 270	GWS 9-115 P	230	GB	54	3 601 G98 000	GWS 15-150 CI	230	EU	54
3 601 G90 410	AG40-85P	120	USA	54	3 601 G98 010	AG60-125	120	USA	54
3 601 G91 000	GWS 9-125	230	EU	54	3 601 G98 030	GWS 15-150 CI	230	CH	54
3 601 G91 0R0	GWS 9-125	230	EU	54	3 601 G98 0R0	GWS 17-150 CI	230	EU	54
3 601 G91 200	GWS 9-125 P	230	EU	54	3 601 G98 200	GWS 15-150 CIP	230	EU	54
3 601 G92 000	GWS 11-125	230	EU	54	3 601 G98 210	AG60-125PD	120	USA	54
3 601 G92 010	AG50-10	120	USA	54	3 601 G9A 210	AG40-11PD	120	USA	54
3 601 G92 030	GWS 11-125	230	CN	54	3 601 G9A 410	AG40-11P	120	USA	54
3 601 G92 040	GWS 11-125	240	AUS	54	3 601 G9B 000	GWS 9-115	230	EU	54
3 601 G92 060	GWS 11-125	110	GB	54	3 601 G9B 060	GWS 9-115	110	GB	54
3 601 G92 070	GWS 11-125	230	GB	54	3 601 G9B 070	GWS 9-115	230	GB	54
3 601 G92 0E0	GWS 11-125	220	BR	54	3 601 G9C 000	GWS 9-125	230	EU	54
3 601 G92 0G0	GWS 11-125	127	BR	54	3 601 G9D 000	GWS 11-125	230	EU	54
3 601 G92 0H0	GWS 11-125	220	AR	54	3 601 G9D 060	GWS 11-125	110	GB	54
3 601 G92 0R0	GWS 11-125	230	EU	54	3 601 G9D 070	GWS 11-125	230	GB	54
3 601 G92 200	GWS 11-125 P	230	EU	54	3 601 G9E 000	GWS 13-125 CI	230	EU	54
3 601 G92 260	GWS 11-125 P	110	GB	54	3 601 G9E 030	GWS 13-125 CI	230	RCH	54
3 601 G92 270	GWS 11-125 P	230	GB	54	3 601 G9E 040	GWS 13-125 CI	240	AUS	54
3 601 G93 000	GWS 12-125	230	EU	54	3 601 G9E 070	GWS 13-125 CI	230	GB	54
3 601 G93 030	GWS 12-25	230	CH	54	3 601 G9E 090	GWS 13-125 CI	230	IL	54
3 601 G93 040	GWS 12-125CI	240	AUS	54	3 601 G9E 0E0	GWS 13-125 CI	220	BR	54
3 601 G93 050	GWS 12-125 CI	100	J	54	3 601 G9E 0H0	GWS 13-125 CI	220	AR	54
3 601 G93 060	GWS 12-125	110	GB	54	3 601 G9E 100	GWS 13-125 CIX	230	EU	54
3 601 G93 070	GWS 12-125	230	GB	54	3 601 G9F 000	GWS 13-125 CIE	230	EU	54
3 601 G93 090	GWS 12-125	230	IL	54	3 601 G9F 030	GWS 13-125 CIE	230	CH	54
3 601 G93 0E0	GWS 12-125 CI	220	BR	54	3 601 G9F 100	GWS 13-125 CIE	230	EU	54
3 601 G93 0G0	GWS 12-125 CI	127	BR	54	3 601 G9G 000	GWS 17-125 CI	230	---	54
3 601 G93 0H0	GWS 12-125 CI	220	AR	54	3 601 G9G 010	GWS 13-50	120	USA	54
3 601 G93 0R0	GWS 13-125 CI	230	EU	54	3 601 G9G 030	GWS 17-125 CI	230	CH	54
3 601 G93 100	GWS 12-125 CIX	230	EU	54	3 601 G9G 040	GWS 17-125 CI	240	AUS	54
3 601 G93 200	GWS 12-125 CIP	230	EU	54	3 601 G9G 090	GWS 17-125 CI	230	IL	54
3 601 G93 260	GWS 12-125 CIP	110	GB	54	3 601 G9G 100	GWS 17-125 CIX	230	EU	54
3 601 G93 270	GWS 12-125 CIP	230	GB	54	3 601 G9G 210	GWS 13-50 PD	120	USA	54
3 601 G93 300	GWS 12-125 CIPX	230	EU	54	3 601 G9G 410	GWS 13-50 P	120	USA	54
3 601 G94 000	GWS 12-125 CIE	230	EU	54	3 601 G9H 000	GWS 17-125 CIE	230	EU	54
3 601 G94 010	AG50-11VS	120	USA	54	3 601 G9H 010	GWS 13-50 VS	120	USA	54
3 601 G94 030	GWS 12-125 CIE	230	CH	54	3 601 G9H 030	GWS 17-125 CIE	230	CH	54
3 601 G94 0R0	GWS 13-125 CIE	230	EU	54	3 601 G9H 090	GWS 17-125 CIE	230	IL	54
3 601 G94 100	GWS 12-125 CIE	230	EU	54	3 601 G9H 0E0	GWS 17-125 CIE	220	BR	54
3 601 G94 200	GWS 12-125 CIEP	230	EU	54	3 601 G9H 0H0	GWS 17-125 CIE	220	AR	54
3 601 G94 210	AG50-11VSPD	120	USA	54	3 601 G9H 100	GWS 17-125 CIE	230	EU	54
3 601 G94 240	GWS 12-125 CIEP	240	AUS	54	3 601 G9H 410	GWS 13-50 VSP	120	USA	54
3 601 G94 300	GWS 12-125 CIEP	230	EU	54	3 601 G9J 000	GWS 17-125 CIT	230	EU	54
3 601 G95 000	GWS 15-125 CI	230	EU	54	3 601 G9J 030	GWS 17-125 CIT	230	CH	54
3 601 G95 030	GWS 15-125 CI	230	CH	54	3 601 G9J 040	GWS 17-125 CIT	240	AUS	54
3 601 G95 040	GWS 15-125 CI	240	AUS	54	3 601 G9K 000	GWS 17-150 CI	230	EU	54
3 601 G95 090	GWS 15-125 CI	230	IL	54	3 601 G9K 010	GWS 13-60	120	USA	54
3 601 G95 0R0	GWS 17-125 CI	230	---	54	3 601 G9K 030	GWS 17-150 CI	230	CH	54
3 601 G95 100	GWS 15-125 CIX	230	EU	54	3 601 G9K 210	GWS 13-60 PD	120	USA	54
3 601 G95 200	GWS 15-125 CIP	230	EU	54	3 601 G9M 000	GWS 17-125 INOX	230	EU	54
3 601 G95 210	AG50-125PD	120	USA	54	3 601 G9M 040	GWS 17-125 INOX	240	AUS	54
3 601 G95 270	GWS 15-125 CIP	230	GB	54	3 601 G9M 0B0	GWS 17-125 INOX	220	ROK	54
3 601 G95 300	GWS 15-125 CIPX	230	EU	54	3 601 G9M 0E0	GWS 17-125 INOX	220	RCH	54
3 601 G95 340	GWS 15-125 CIPX	230	EU	54	3 601 G9M 0H0	GWS 17-125 INOX	220	AR	54
3 601 G96 000	GWS 15-125 CIE	230	EU	54	3 601 G9N 000	GWS 19-125 CI	230	EU	54
3 601 G96 030	GWS 15-125 CIE	230	CH	54	3 601 G9P 000	GWS 19-125 CIE	230	EU	54

Код заказа	: 1 603 414 026	Информации о	: S
Обозначение	: ВИНТ С ГОЛОВКОЙ TORX	Цена	: 0,00
Техническая информация	: 4x30		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
3 601 G9P 030	GWS 19-125 CIE	220	CH	54	3 601 H22 0H0	GWS 11-125 CI	220	AR	54
3 601 G9R 000	GWS 19-150 CI	230	EU	54	3 601 H23 000	GWS 11-125 CIE	230	EU	54
3 601 G9S 000	GWS 19-125 CIST	230	EU	54	3 601 H23 010	1803 EVS	120	USA	54
3 601 G9S 040	GWS 19-125CIST	240	AUS	54	3 601 H23 020	GWS 11-125 CIE	230	OEU	54
3 601 G9T 010	GWS 10-45	120	USA	54	3 601 H23 030	GWS 11-125 CIE	230	CH	54
3 601 G9T 210	GWS 10-45 PD	120	USA	54	3 601 H24 000	GWS 14-125 CI	230	EU	54
3 601 G9T 410	GWS 10-45 P	120	USA	54	3 601 H24 020	GWS 14-125 CI	230	OEU	54
3 601 G9X 000	GWS 15-125 Inox	230	EU	54	3 601 H24 030	GWS 14-125 CI	230	CH	54
3 601 G9X 040	GWS 15-125 Inox	220	BR	54	3 601 H24 090	GWS 14-125 CI	230	I	54
3 601 G9X 0E0	GWS 15-125 Inox	220	RCH	54	3 601 H24 0G0	GWS 14-125 CI	127	MEX	54
3 601 G9X 0G0	GWS 15-125 Inox	127	MEX	54	3 601 H24 800	GWS 1400	230	EU	54
3 601 G9X 0H0	GWS 15-125 Inox	220	AR	54	3 601 H24 803	---	0	---	54
3 601 GA3 000	GWS 18-125 L	18	EU	54	3 601 H24 830	GWS 1400	230	EU	54
3 601 GA3 0E0	GWS 18-125 L	18	BR	54	3 601 H24 8P0	GWS 1400	230	SMA	54
3 601 GA3 0F0	GWS 18-125 L	18	IND	54	3 601 H24 8R0	GWS 1400	230	EU	54
3 601 GA3 0K0	GWS 18-125 L	18	ASI	54	3 601 H25 000	GWS 14-125 CIE	230	EU	54
3 601 GA3 0L0	GWS 18-125 L	18	MAL	54	3 601 H25 020	GWS 14-125 CIE	230	OEU	54
3 601 GA3 100	GWS 18-125 PL	18	EU	54	3 601 H25 030	GWS 14-125 CIE	230	CH	54
3 601 GA3 1E0	GWS 18-125 PL	18	BR	54	3 601 H25 040	GWS 14-125 CIE	240	AUS	54
3 601 GA3 1H0	GWS 18-125 PL	18	AR	54	3 601 H25 090	GWS 14-125 CE	230	I	54
3 601 GA3 200	GWS 18-125 SL	18	EU	54	3 601 H25 0E0	GWS 14-125 CIE	220	BR	54
3 601 GA3 300	GWS 18-125 SPL	18	EU	54	3 601 H25 0H0	GWS 14-125 CIE	220	AR	54
3 601 GA4 000	GWS 18-125 L INOX	18	EU	54	3 601 H26 000	GWS 14-150 CI	230	EU	54
3 601 GA4 0B0	GWS 18-125 L INOX	18	ROK	54	3 601 H26 010	1806 E	120	USA	54
3 601 GA4 100	GWS 18-125 PL INOX	18	EU	54	3 601 H26 020	GWS 14-150 CI	230	OEU	54
3 601 GA4 140	GWS 18-125 PL INOX	18	AUS	54	3 601 H26 030	GWS 14-150 CI	230	CH	54
3 601 GA5 000	GWS 18-150 L	18	EU	54	3 601 H27 000	GWS 8-125	230	EU	54
3 601 GA5 080	GWS 18-150 L	18	CN	54	3 601 H27 030	GWS 8-125	230	CH	54
3 601 GA5 100	GWS 18-150 PL	18	EU	54	3 601 H28 400	GWS 1000	230	EU	54
3 601 H20 000	GWS 8-115	230	EU	54	3 601 H28 800	GWS 1000	230	EU	54
3 601 H20 010	1800	120	USA	54	3 601 H28 830	GWS 1000	220	CH	54
3 601 H20 020	GWS 8-115	230	OEU	54	3 601 H29 000	GWS 14-125 CIT	230	EU	54
3 601 H20 030	GWS 8-115	230	EU	54	3 601 H29 020	GWS 14-125 CIT	230	OEU	54
3 601 H20 040	GWS 8-115	240	AUS	54	3 601 H29 030	GWS 14-125 CIT	230	CH	54
3 601 H20 060	GWS 8-115	110	GB	54	3 601 H29 040	GWS 14-125 CIT	240	AUS	54
3 601 H20 070	GWS 8-115	230	GB	54	3 601 H29 A00	GWS 14-125 CIT	230	EU	54
3 601 H20 090	GWS 8-115	230	I	54	3 601 H29 A30	GWS 14-125 CIT	230	EU	54
3 601 H20 092	GWS 8-115	240	AFR	54	3 601 H29 J00	GWS 14-125 INOX	230	EU	54
3 601 H20 0P0	GWS 8-115	240	AFR	54	3 601 H29 J40	GWS 14-125 INOX	240	---	54
3 601 H21 000	GWS 10-125	230	EU	54	3 601 H29 JE0	GWS 14-125 INOX	220	BR	54
3 601 H21 003	GWS 1000	230	EU	54	3 601 H30 010	1821	120	USA	54
3 601 H21 010	1801	120	USA	54	3 601 H30 100	GWS 11-125 CIH	230	EU	54
3 601 H21 020	GWS 10-125	230	OEU	54	3 601 H30 120	GWS 11-125 CIH	230	OEU	54
3 601 H21 030	GWS 1000	230	CH	54	3 601 H30 130	GWS 11-125 CIH	230	CH	54
3 601 H21 060	GWS 10-125	110	GB	54	3 601 H30 1K0	GWS 11-125 CIH	230	ASI	54
3 601 H21 063	GWS 1000	110	GB	54	3 601 H30 1L0	GWS 11-125 CIH	240	MAL	54
3 601 H21 070	GWS 10-125	230	GB	54	3 601 H30 200	GWS 15-125 CIH	230	EU	54
3 601 H21 073	GWS 1000	230	GB	54	3 601 H30 220	GWS 15-125 CIH	230	OEU	54
3 601 H21 0D0	GWS 10-125	127	BR	54	3 601 H30 230	GWS15-125CIH	220	CH	54
3 601 H21 0E0	GWS 10-125	220	BR	54	3 601 H30 2E0	GWS 15-125 CIH	220	BR	54
3 601 H21 0G0	GWS 10-125	127	MEX	54	3 601 H30 2G0	GWS 15-125 CIH	127	MEX	54
3 601 H21 0H0	GWS 10-125	220	AR	54	3 601 H30 2H0	GWS 15-125 CIH	220	AR	54
3 601 H21 463	GWS 10-125	110	GB	54	3 601 H30 2K0	GWS 15-125 CIH	230	ASI	54
3 601 H21 473	GWS 10-125	230	GB	54	3 601 H30 2L0	GWS 15-125 CIH	240	MAL	54
3 601 H21 800	GWS 10-125	230	EU	54	3 601 H30 2N0	GWS 15-125 CIE	220	RCH	54
3 601 H21 830	GWS 10-125	230	CN	54	3 601 H30 300	GWS 15-125 CIEH	230	EU	54
3 601 H21 8P0	GWS 1000	230	SMA	54	3 601 H30 320	GWS 15-125 CIEH	230	OEU	54
3 601 H21 8R0	GWS 1000	230	EU	54	3 601 H30 330	GWS 15-125 CIEH	230	CH	54
3 601 H22 000	GWS 11-125 CI	230	EU	54	3 601 H30 400	GWS 15-125 CITH	230	EU	54
3 601 H22 003	GWS 1100	230	D	54	3 601 H30 420	GWS 15-125 CITH	230	OEU	54
3 601 H22 020	GWS 11-125 CI	230	OEU	54	3 601 H30 500	GWS 15-150 CIH	230	EU	54
3 601 H22 030	GWS 11-125 CI	230	CH	54	3 601 H30 520	GWS 15-150 CIH	230	OEU	54
3 601 H22 040	GWS 11-125 CI	240	AUS	54	3 601 H30 580	GWS 15-150 CIH	230	CN	54
3 601 H22 041	GWS 1200 C	240	AUS	54	3 601 H30 700	GWS 15-125 CITH	230	EU	54
3 601 H22 050	GWS 11-125 CI	100	J	54	3 601 H30 7B0	GWS 15-125 CISTH	220	ROK	54
3 601 H22 060	GWS 11-125 CI	110	GB	54	3 601 H30 B40	GWS 11-125 CIH	240	AUS	54
3 601 H22 070	GWS 11-125 CI	230	GB	54	3 601 H30 C40	GWS 15-125 CIH	240	AUS	54
3 601 H22 090	GWS 11-125 CI	230	I	54	3 601 H30 CE0	GWS 15-125 CIH	220	BR	54
3 601 H22 0E0	GWS 11-125 CI	220	BR	54	3 601 H30 E40	GWS 15-125 CITH	240	AUS	54
3 601 H22 0G0	GWS 11-125 CI	127	MEX	54	3 601 H30 G00	GWS 15-125 CITH	230	EU	54

3/ 3