

Код заказа	: 2 600 100 041	Информации о	: S
Обозначение	: Уплотнительная шайба	Цена	: 0,00
Техническая информация	: DIN 315-M8-GT-C		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 333 139	----	115	USA	653/50	0 601 352 932	GWS 18-230	220	CH	750/20/50
0 601 333 160	----	115	USA	653/50	0 601 352 965	GWS 18-230	220	SF	750/20/50
0 601 333 239	1333	115	USA	653/3	0 601 356 003	GWS 20-180	230	EU	750/20/50
0 601 333 260	1333	115	USA	653/3	0 601 356 006	GWS 20-180	240	MAL	750/20/50
0 601 333 403	----	220	EU	653/3	0 601 356 032	GWS 20-180	230	CH	750/20/50
0 601 333 432	----	220	CH	653/3	0 601 356 034	GWS 20-180	115	SAM	750/20/50
0 601 333 436	----	220	NL	653/3	0 601 356 036	GWS 20-180	220	NL	750/20/50
0 601 333 441	----	110	GB	653/3	0 601 356 037	GWS 20-180	240	AUS	750/20/50
0 601 333 442	----	240	GB	653/3	0 601 356 038	GWS 20-180	100	J	750/20/50
0 601 333 448	----	220	F	653/3	0 601 356 041	GWS 20-180	110	GB	750/20/50
0 601 333 503	----	220	EU	653/3	0 601 356 042	GWS 20-180	240	GB	750/20/50
0 601 333 532	----	220	CH	653/3	0 601 356 048	GWS 20-180	230	F	750/20/50
0 601 340 039	1340	115	USA	653/50	0 601 356 050	GWS 20-180	230	I	750/20/50
0 601 340 439	1340	115	USA	653/50	0 601 356 065	GWS 20-180	220	SF	750/20/50
0 601 351 003	GWS 18-180	220	EU	750/20/50	0 601 356 103	GWS 21-180	230	EU	700/20/50
0 601 351 005	GWS 18-180	115	RC	750/20/50	0 601 356 104	GWS 21-180	230	RI	700/20/50
0 601 351 006	GWS 18-180	240	MAL	750/20/50	0 601 356 132	GWS 21-180	230	CH	700/20/50
0 601 351 032	GWS 18-180	220	CH	750/20/50	0 601 356 140	GWS 21-180	220	ROK	700/20/50
0 601 351 034	GWS 18-180	115	SAM	750/20/50	0 601 356 150	GWS 21-180	230	I	700/20/50
0 601 351 037	GWS 18-180	240	AUS	750/20/50	0 601 356 165	GWS 21-180	230	S	700/20/50
0 601 351 038	GWS 18-180	100	J	750/20/50	0 601 356 803	GWS 21-180	230	EU	700/20/50
0 601 351 041	GWS 18-180	110	GB	750/20/50	0 601 356 832	GWS 21-180	230	CH	700/20/50
0 601 351 042	GWS 18-180	240	GB	750/20/50	0 601 356 865	GWS 21-180	230	S	700/20/50
0 601 351 047	GWS 18-180	110	F	750/20/50	0 601 356 903	GWS 20-180	230	EU	750/20/50
0 601 351 048	GWS 18-180	220	F	750/20/50	0 601 356 932	GWS 20-180	230	CH	750/20/50
0 601 351 050	GWS 18-180	220	I	750/20/50	0 601 356 965	GWS 20-180	220	SF	750/20/50
0 601 351 065	GWS 18-180	220	SF	750/20/50	0 601 357 003	GWS 20-230	220	EU	750/20/50
0 601 351 078	GWS 18-180	100	J	750/20/50	0 601 357 006	GWS 20-230	240	MAL	750/20/50
0 601 351 103	GWS 19-180	230	EU	750/20/50	0 601 357 032	GWS 20-230	220	CH	750/20/50
0 601 351 108	GWS 19-180	230	OEUE	750/20/50	0 601 357 034	GWS 20-230	115	SAM	750/20/50
0 601 351 113	GWS 19-180	230	D	750/20/50	0 601 357 036	GWS 20-230	220	NL	750/20/50
0 601 351 132	GWS 19-180	230	CH	750/20/50	0 601 357 037	GWS 20-230	240	AUS	750/20/50
0 601 351 150	GWS 19-180	230	I	750/20/50	0 601 357 038	GWS 20-230	100	J	750/20/50
0 601 351 165	GWS 19-180	230	SF	750/20/50	0 601 357 041	GWS 20-230	110	GB	750/20/50
0 601 351 803	GWS 19-180	230	EU	750/20/50	0 601 357 042	GWS 20-230	240	GB	750/20/50
0 601 351 813	GWS 19-180	230	D	750/20/50	0 601 357 048	GWS 20-230	220	F	750/20/50
0 601 351 820	GWS 2000-180 J	230	EU	700/20/50	0 601 357 050	GWS 20-230	220	I	750/20/50
0 601 351 832	GWS 19-180	230	CH	750/20/50	0 601 357 065	GWS 20-230	220	SF	750/20/50
0 601 351 865	GWS 19-180	230	SF	750/20/50	0 601 357 103	GWS 21-230	230	EU	750/20/50
0 601 351 903	GWS 18-180	220	EU	750/20/50	0 601 357 104	GWS 21-230	230	RI	750/20/50
0 601 351 932	GWS 18-180	220	CH	750/20/50	0 601 357 132	GWS 21-230	230	CH	750/20/50
0 601 351 965	GWS 18-180	220	SF	750/20/50	0 601 357 140	GWS 21-230	220	ROK	750/20/50
0 601 352 003	GWS 18-230	220	EU	750/20/50	0 601 357 150	GWS 21-230	230	I	750/20/50
0 601 352 004	GWS 18-230	220	RI	750/20/50	0 601 357 165	GWS 21-230	230	S	750/20/50
0 601 352 032	GWS 18-230	220	CH	750/20/50	0 601 357 188	GWS 21-230	230	OEUE	750/20/50
0 601 352 034	GWS 18-230	115	SAM	750/20/50	0 601 357 803	GWS 21-230	230	EU	750/20/50
0 601 352 037	GWS 18-230	240	AUS	750/20/50	0 601 357 832	GWS 21-230	230	CH	750/20/50
0 601 352 038	GWS 18-230	100	J	750/20/50	0 601 357 865	GWS 21-230	230	S	750/20/50
0 601 352 041	GWS 18-230	110	GB	750/20/50	0 601 357 903	GWS 20-230	220	EU	750/20/50
0 601 352 042	GWS 18-230	240	GB	750/20/50	0 601 357 932	GWS 20-230	220	CH	750/20/50
0 601 352 047	GWS 18-230	110	F	750/20/50	0 601 357 965	GWS 20-230	220	SF	750/20/50
0 601 352 048	GWS 18-230	220	F	750/20/50	0 601 361 103	GWS 24-180	230	EU	700/20/50
0 601 352 050	GWS 18-230	220	I	750/20/50	0 601 361 132	GWS 24-180	230	CH	700/20/50
0 601 352 065	GWS 18-230	220	SF	750/20/50	0 601 361 134	GWS 24-180	115	SAM	700/20/50
0 601 352 078	GWS 18-230	100	J	750/20/50	0 601 361 137	GWS 24-180	240	AUS	700/20/50
0 601 352 103	GWS 19-230	230	EU	700/20/50	0 601 361 141	GWS 24-180	110	GB	700/20/50
0 601 352 108	GWS 19-230	230	OEUE	700/20/50	0 601 361 142	GWS 24-180	240	GB	700/20/50
0 601 352 113	GWS 19-230	230	D	700/20/50	0 601 361 150	GWS 24-180	230	I	700/20/50
0 601 352 120	GWS 2000-230	230	EU	700/20/50	0 601 361 165	GWS 24-180	230	S	700/20/50
0 601 352 121	GWS 2000-230	230	F	700/20/50	0 601 361 803	GWS 24-180	230	EU	700/20/50
0 601 352 122	GWS 2000-230	230	CH	700/20/50	0 601 361 832	GWS 24-180	230	CH	700/20/50
0 601 352 132	GWS 19-230	230	CH	700/20/50	0 601 361 865	GWS 24-180 J	230	S	700/20/50
0 601 352 150	GWS 19-230	230	I	700/20/50	0 601 362 003	GWS 23-230	230	EU	750/20/50
0 601 352 165	GWS 19-230	230	S	700/20/50	0 601 362 004	GWS 23-230	230	RI	750/20/50
0 601 352 803	GWS 19-230	230	EU	700/20/50	0 601 362 032	GWS 23-230	220	CH	750/20/50
0 601 352 813	GWS 19-230	230	D	700/20/50	0 601 362 034	GWS 23-230	115	SAM	750/20/50
0 601 352 820	GWS 2000-230 J	230	EU	700/20/50	0 601 362 036	GWS 23-230	220	NL	750/20/50
0 601 352 832	GWS 19-230	230	CH	700/20/50	0 601 362 037	GWS 23-230	240	AUS	750/20/50
0 601 352 865	GWS 19-230	230	S	700/20/50	0 601 362 041	GWS 23-230	110	GB	750/20/50
0 601 352 903	GWS 18-230	220	EU	750/20/50	0 601 362 042	GWS 23-230	240	GB	750/20/50

Код заказа	: 2 600 100 041	Информации о	: S
Обозначение	: Уплотнительная шайба	Цена	: 0,00
Техническая информация	: DIN 315-M8-GT-C		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 601 362 047	GWS 23-230	110	F	750/20/50	0 601 593 063	GHO 31-82	240	GB	51
0 601 362 048	GWS 23-230	230	F	750/20/50	0 601 593 064	GHO 31-82	220	I	51
0 601 362 050	GWS 23-230	230	I	750/20/50	0 601 593 066	GHO 31-82	220	EU	51
0 601 362 065	GWS 23-230	220	SF	750/20/50	0 601 593 067	GHO 31-82	220	SKA	51
0 601 362 103	GWS 24-230	230	EU	750/20/50	0 601 593 070	GHO 20-82	240	MAL	51
0 601 362 106	GWS 24-230	240	MAL	750/20/50	0 601 593 071	GHO 20-82	115	SAM	51
0 601 362 132	GWS 24-230	230	CH	750/20/50	0 601 593 072	GHO 31-82	100	J	51
0 601 362 134	GWS 24-230	115	SAM	750/20/50	0 601 593 073	GHO 20-82	220	ROK	51
0 601 362 137	GWS 24-230	240	AUS	750/20/50	0 601 593 074	GHO 20-82	230	ASI	51
0 601 362 141	GWS 24-230	110	GB	750/20/50	0 601 593 075	GHO 20-82	220	CN	51
0 601 362 142	GWS 24-230	240	GB	750/20/50	0 601 593 076	GHO 20-82	230	BR	51
0 601 362 150	GWS 24-230	230	I	750/20/50	0 601 593 103	GHO 31-82	230	EU	51
0 601 362 165	GWS 24-230	230	S	750/20/50	0 601 593 106	GHO 31-82	240	MAL	51
0 601 362 178	GWS 24-230	230	OEU	750/20/50	0 601 593 115	GHO 31-82	230	AR	51
0 601 362 803	GWS 24-230	230	EU	750/20/50	0 601 593 132	GHO 31-82	230	CH	51
0 601 362 832	GWS 24-230	230	CH	750/20/50	0 601 593 134	GHO 31-82	115	USA	51
0 601 362 865	GWS 24-230	230	S	750/20/50	0 601 593 137	GHO 31-82	240	AUS	51
0 601 362 878	GWS 24-230	230	OEU	750/20/50	0 601 593 138	GHO 31-82	100	J	51
0 601 362 903	GWS 23-230	230	EU	750/20/50	0 601 593 139	GHO 31-82	115	USA	51
0 601 362 932	GWS 23-230	230	CH	750/20/50	0 601 593 140	GHO 31-82	220	ROK	51
0 601 362 965	GWS 23-230	220	SF	750/20/50	0 601 593 141	GHO 31-82	110	GB	51
0 601 364 039	1364	115	USA	661/05	0 601 593 142	GHO 31-82	240	GB	51
0 601 365 039	1365	115	USA	661/05	0 601 593 150	GHO 31-82	230	I	51
0 601 372 003	GEX 125 A	230	EU	25	0 601 593 160	GHO 31-82	110	GB	51
0 601 372 032	GEX 125 A	230	CH	25	0 601 593 161	GHO 31-82	110	GB	51
0 601 372 034	GEX 125 A	115	SAM	25	0 601 593 162	GHO 31-82	230	T	51
0 601 372 037	GEX 125 A	240	AUS	25	0 601 593 163	GHO 31-82	240	MAL	51
0 601 372 038	GEX 125 A	100	J	25	0 601 593 164	GHO 31-82	230	I	51
0 601 372 039	GEX 125 A	115	USA	25	0 601 593 165	GHO 31-82	230	BR	51
0 601 372 041	GEX 125 A	110	GB	25	0 601 593 166	GHO 31-82	230	EU	51
0 601 372 042	GEX 125 A	240	GB	25	0 601 593 167	GHO 31-82	240	GB	51
0 601 372 050	GEX 125 A	230	I	25	0 601 593 168	GHO 31-82	230	OEU	51
0 601 372 439	3725DEVS	120	USA	25	0 601 593 169	GHO 31-82	240	GB	51
0 601 372 503	GEX 125 AC	230	EU	25	0 601 593 603	GHO 36-82 C	230	EU	51
0 601 372 506	GEX 125 AC	240	MAL	25	0 601 593 632	GHO 36-82 C	230	CH	51
0 601 372 508	GEX 125 AC	230	OEU	25	0 601 593 637	GHO 36-82 C	240	AUS	51
0 601 372 532	GEX 125 AC	230	CH	25	0 601 593 642	GHO 36-82 C	240	GB	51
0 601 372 534	GEX 125 AC	115	SAM	25	0 601 593 650	GHO 36-82 C	230	I	51
0 601 372 537	GEX 125 AC	240	AUS	25	0 601 593 664	GHO 36-82 C	230	I	51
0 601 372 538	GEX 125 AC	100	J	25	0 601 593 666	GHO 36-82 C	230	EU	51
0 601 372 539	3725 DVS	115	USA	25	0 601 593 667	GHO 36-82 C	240	GB	51
0 601 372 541	GEX 125 AC	110	GB	25	0 601 593 668	GHO 36-82 C	230	OEU	51
0 601 372 542	GEX 125 AC	240	GB	25	0 601 593 703	GHO 36-82 C	220	EU	51
0 601 372 550	GEX 125 AC	230	I	25	0 601 593 732	GHO 36-82 C	220	CH	51
0 601 372 639	3727DEVS	120	USA	25	0 601 593 733	GHO 36-82 C	220	SKA	51
0 601 372 703	GEX 150 AC	230	EU	25	0 601 593 737	GHO 36-82 C	240	AUS	51
0 601 372 706	GEX 150 AC	240	MAL	25	0 601 593 742	GHO 36-82 C	240	GB	51
0 601 372 708	GEX 150 AC	230	OEU	25	0 601 593 750	GHO 36-82 C	220	I	51
0 601 372 714	GEX 150 AC	220	BR	25	0 603 249 003	PWS 18-230	230	EU	700/20/50
0 601 372 715	GEX 150 AC	127	LAM	25	0 603 249 042	PWS 18-230	240	GB	700/20/50
0 601 372 716	GEX 150 AC	127	BR	25	0 603 249 048	PWS 18-230	220	F	700/20/50
0 601 372 732	GEX 150 AC	230	CH	25	0 603 249 050	PWS 18-230	230	I	700/20/50
0 601 372 734	GEX 150 AC	115	SAM	25	0 603 249 065	PWS 18-230	230	SF	700/20/50
0 601 372 737	GEX 150 AC	240	AUS	25	0 603 249 066	PWS 19-230	230	F	700/20/50
0 601 372 738	GEX 150 AC	100	J	25	0 603 249 103	PWS 20-230	230	EU	700/20/50
0 601 372 739	3727 DVS	115	USA	25	0 603 249 160	PWS 20-230	230	EU	700/20/50
0 601 372 741	GEX 150 AC	110	GB	25	0 603 249 165	PWS 20-230	230	SF	700/20/50
0 601 372 742	GEX 150 AC	240	GB	25	0 603 249 166	PWS 20-230	230	F	700/20/50
0 601 372 750	GEX 150 AC	230	I	25	0 603 249 803	PWS 20-230 J	230	EU	700/20/50
0 601 593 003	GHO 31-82	230	EU	51	0 603 249 832	PWS 20-230	230	CH	700/20/50
0 601 593 032	GHO 31-82	220	CH	51	0 603 249 903	PWS 18-230 J	230	EU	700/20/50
0 601 593 033	GHO 31-82	220	SKA	51	0 603 249 932	PWS 18-230	230	CH	700/20/50
0 601 593 034	GHO 31-82	115	SAM	51	0 603 249 965	PWS 18-230 J	230	SF	700/20/50
0 601 593 037	GHO 31-82	240	AUS	51	0 603 254 003	PSS 230	220	EU	25
0 601 593 038	GHO 31-82	100	J	51	0 603 254 030	PSS 230	220	AFR	25
0 601 593 039	1593	115	USA	51	0 603 254 031	PSS 230	115	AFR	25
0 601 593 041	GHO 31-82	110	GB	51	0 603 254 032	PSS 230	220	CH	25
0 601 593 042	GHO 31-82	240	GB	51	0 603 254 033	PSS 230	220	SKA	25
0 601 593 050	GHO 31-82	220	I	51	0 603 254 034	PSS 230	115	SAM	25
0 601 593 062	GHO 31-82	220	EU	51	0 603 254 037	PSS 230	240	AUS	25

Код заказа	: 2 600 100 041	Информации о	: S
Обозначение	: Уплотнительная шайба	Цена	: 0,00
Техническая информация	: DIN 315-M8-GT-C		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 603 254 038	PSS 230	100	J	25	0 603 276 137	PWS 14-180	240	AUS	700/20/50
0 603 254 039	PSS 230	115	USA	25	0 603 276 138	PWS 14-180	100	J	700/20/50
0 603 254 041	PSS 230	110	GB	25	0 603 276 141	PWS 14-180	110	GB	700/20/50
0 603 254 042	PSS 230	240	GB	25	0 603 276 142	PWS 14-180	240	GB	700/20/50
0 603 254 045	PSS 230	115	CDN	25	0 603 276 150	PWS 14-180	230	I	700/20/50
0 603 254 047	PSS 230	110	F	25	0 603 276 165	PWS 14-180	230	SF	700/20/50
0 603 254 048	PSS 230	220	F	25	0 603 282 003	PEX 115 A	230	EU	25
0 603 254 050	PSS 230	220	I	25	0 603 282 032	PEX 115 A	230	CH	25
0 603 254 703	PSS 230 E	220	EU	20	0 603 282 033	PEX 115 A	230	N	25
0 603 254 732	PSS 230 E	220	CH	20	0 603 282 034	PEX 115 A	115	SAM	25
0 603 254 737	PSS 230 E	240	AUS	20	0 603 282 037	PEX 115 A	240	AUS	25
0 603 254 742	PSS 230 E	240	GB	20	0 603 282 038	PEX 115 A	100	J	25
0 603 254 750	PSS 230 E	220	I	20	0 603 282 042	PEX 115 A	240	GB	25
0 603 254 803	SS 150	220	EU	20	0 603 282 045	PEX 115 A	115	CDN	25
0 603 254 832	SS 150	220	CH	20	0 603 282 050	PEX 115 A	230	I	25
0 603 254 842	SS 150	240	GB	20	0 603 282 063	PEX 115 A	230	EU	25
0 603 254 848	SS 150	220	F	20	0 603 282 503	PEX 115	230	F	25
0 603 254 850	SS 150	220	I	20	0 603 282 703	PEX 115 AE	220	EU	25
0 603 254 903	PSS 230	220	EU	25	0 603 282 732	PEX 115 AE	220	CH	25
0 603 254 932	PSS 230	220	CH	25	0 603 282 734	PEX 115 AE	115	SAM	25
0 603 254 933	PSS 230	220	SKA	25	0 603 282 737	PEX 115 AE	240	AUS	25
0 603 254 942	PSS 230	240	GB	25	0 603 282 738	PEX 115 AE	100	J	25
0 603 254 948	PSS 230	220	F	25	0 603 282 742	PEX 115 AE	240	GB	25
0 603 254 950	PSS 230	220	I	25	0 603 282 745	PEX 115 AE	115	CDN	25
0 603 256 003	PSS 280	220	EU	20	0 603 282 750	PEX 115 AE	220	I	25
0 603 256 030	PSS 280	220	AFR	20	0 603 283 003	PEX 125 A	220	EU	25
0 603 256 031	PSS 280	115	AFR	20	0 603 283 032	PEX 125 A	220	CH	25
0 603 256 032	PSS 280	220	CH	20	0 603 283 034	PEX 125 A	115	SAM	25
0 603 256 033	PSS 280	220	SKA	20	0 603 283 037	PEX 125 A	240	AUS	25
0 603 256 034	PSS 280	115	SAM	20	0 603 283 038	PEX 125 A	100	J	25
0 603 256 037	PSS 280	240	AUS	20	0 603 283 042	PEX 125 A	240	GB	25
0 603 256 038	PSS 280	100	J	20	0 603 283 050	PEX 125 A	220	I	25
0 603 256 041	PSS 280	110	GB	20	0 603 283 703	PEX 125 AE	230	EU	25
0 603 256 042	PSS 280	240	GB	20	0 603 283 732	PEX 125 AE	230	CH	25
0 603 256 047	PSS 280	110	F	20	0 603 283 734	PEX 125 AE	115	SAM	25
0 603 256 048	PSS 280	220	F	20	0 603 283 735	B7250	120	USA	25
0 603 256 050	PSS 280	220	I	20	0 603 283 737	PEX 125 AE	240	AUS	25
0 603 256 703	PSS 280 AE	220	EU	25	0 603 283 738	PEX 125 AE	100	J	25
0 603 256 732	PSS 280 AE	220	CH	25	0 603 283 739	3283DVS	115	USA	25
0 603 256 737	PSS 280 AE	240	AUS	25	0 603 283 742	PEX 125 AE	240	GB	25
0 603 256 742	PSS 280 AE	240	GB	25	0 603 283 745	PEX 125 AE	115	CDN	25
0 603 256 750	PSS 280 AE	220	I	25	0 603 283 750	PEX 125 AE	230	I	25
0 603 256 903	PSS 280 A	220	EU	20	0 603 289 003	PSS 23	230	EU	25
0 603 256 932	PSS 280 A	220	CH	20	0 603 289 030	PSS 23	230	AFR	25
0 603 256 933	PSS 280 A	220	SKA	20	0 603 289 031	PSS 23	115	AFR	25
0 603 256 934	PSS 280 A	115	SAM	20	0 603 289 032	PSS 23	230	CH	25
0 603 256 937	PSS 280 A	240	AUS	20	0 603 289 034	PSS 23	115	SAM	25
0 603 256 938	PSS 280 A	100	J	20	0 603 289 037	PSS 23	240	AUS	25
0 603 256 941	PSS 280 A	110	GB	20	0 603 289 038	PSS 23	100	J	25
0 603 256 942	PSS 280 A	240	GB	20	0 603 289 042	PSS 23	240	GB	25
0 603 256 947	PSS 280 A	110	F	20	0 603 289 050	PSS 23	230	I	25
0 603 256 948	PSS 280 A	220	F	20	0 603 289 703	PSS 23 E	230	EU	25
0 603 256 950	PSS 280 A	220	I	20	0 603 289 732	PSS 23 E	230	CH	25
0 603 271 003	PHO 30-82	230	EU	51	0 603 289 734	PSS 23 E	115	SAM	25
0 603 271 032	PHO 30-82	230	CH	51	0 603 289 737	PSS 23 E	240	AUS	25
0 603 271 042	PHO 30-82	230	GB	51	0 603 289 738	PSS 23 E	100	J	25
0 603 276 003	PWS 12-180	220	EU	712/20/50	0 603 289 742	PSS 23 E	240	GB	25
0 603 276 032	PWS 12-180	220	CH	712/20/50	0 603 289 750	PSS 23 E	230	I	25
0 603 276 034	PWS 12-180	115	SAM	712/20/50	0 603 296 003	PHO 25-82	230	EU	51
0 603 276 037	PWS 12-180	240	AUS	712/20/50	0 603 296 008	PHO 25-83	230	OEUE	51
0 603 276 038	PWS 12-180	100	J	712/20/50	0 603 296 032	PHO 25-84	230	CH	51
0 603 276 039	PWS 12-180	115	USA	712/20/50	0 603 296 034	PHO 25-82	115	SAM	51
0 603 276 041	PWS 12-180	110	GB	712/20/50	0 603 296 037	PHO 25-85	240	AUS	51
0 603 276 042	PWS 12-180	240	GB	712/20/50	0 603 296 038	PHO 25-82	100	J	51
0 603 276 048	PWS 12-180	220	F	712/20/50	0 603 296 042	PHO 25-86	240	GB	51
0 603 276 050	PWS 12-180	220	I	712/20/50	0 603 296 050	PHO 25-87	230	I	51
0 603 276 065	PWS 12-180	220	SF	712/20/50	0 603 296 063	PHO 25-91	230	EU	51
0 603 276 103	PWS 14-180	230	EU	700/20/50	0 603 298 603	PEX 420 AE	230	EU	25
0 603 276 132	PWS 14-180	230	CH	700/20/50	0 603 298 608	PEX 420 AE	230	OEUE	25
0 603 276 134	PWS 14-180	115	SAM	700/20/50	0 603 298 632	PEX 420 AE	230	CH	25

Код заказа	: 2 600 100 041	Информации о	: S
Обозначение	: Уплотнительная шайба	Цена	: 0,00
Техническая информация	: DIN 315-M8-GT-C		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 603 298 634	PEX 420 AE	115	SAM	25	3 601 C7B 1E1	GEX 125-150 AVE	220	BR	30
0 603 298 637	PEX 420 AE	240	AUS	25	3 601 C7B 1G0	GEX 125-150 AVE	127	SAM	30
0 603 298 638	PEX 420 AE	100	J	25	3 601 C7B 1G1	GEX 125-150 AVE	127	SAM	30
0 603 298 642	PEX 420 AE	230	GB	25	3 601 C7B 1H0	GEX 125-150 AVE	220	AR	30
0 603 298 650	PEX 420 AE	230	I	25	3 601 C7B 1H1	GEX 125-150 AVE	220	AR	30
0 603 298 703	PEX 15 AE	230	EU	25	3 601 C7B 1K0	GEX 125-150 AVE	230	ASI	30
0 603 298 708	PEX 15 AE	230	OEUE	25	3 601 C7B 1K1	GEX 125-150 AVE	230	---	30
0 603 298 732	PEX 15 AE	230	CH	25	3 601 C7B 1N0	GEX 125-150 AVE	220	RCH	30
0 603 298 734	PEX 15 AE	115	SAM	25	3 601 C7B 1N1	GEX 125-150 AVE	220	RCH	30
0 603 298 735	PEX 15 AE	120	USA	25	3 601 C7B 1P0	GEX 125-150 AVE	230	AFR	30
0 603 298 737	PEX 15 AE	240	AUS	25	3 601 C7B 1P1	GEX 150 AVE	230	AFR	30
0 603 298 738	PEX 15 AE	100	J	25	3 601 C7B 200	GEX 40-150	230	EU	30
0 603 298 739	PEX 15 AE	115	USA	25	3 601 C7B 210	GEX34-6	120	USA	30
0 603 298 742	PEX 15 AE	240	GB	25	3 601 C7B 230	GEX 40-150	230	CH	30
0 603 298 745	PEX 15 AE	115	CDN	25	3 601 C7B 240	GEX 40-150	240	AUS	30
0 603 298 750	PEX 15 AE	230	I	25	3 601 C7B 270	GEX 40-150	230	GB	30
3 601 C64 410	1364	115	USA	661/05	3 601 C7B 2B0	GEX 40-150	230	ASI	30
3 601 C64 800	GWS 24-300	230	---	661/05	3 601 C7B 2D0	GEX 40-150	125	BR	30
3 601 C64 801	GWS 24-300I	230	EU	661/05	3 601 C7B 2E0	GEX 40-150	230	BR	30
3 601 C64 830	GWS 24-300	230	CH	661/05	3 601 C7B 2G0	GEX 40-150	230	AR	30
3 601 C65 410	1365	115	USA	661/05	3 601 C7B 2H0	GEX 40-150	230	AR	30
3 601 C65 411	1365	115	USA	661/05					
3 601 C72 300	GEX 34-125	230	EU	25					
3 601 C72 310	GEX33-5	120	USA	25					
3 601 C72 330	GEX 34-125	230	CH	25					
3 601 C72 4A0	3725DEVS	120	USA	25					
3 601 C72 503	GEX 125 AC	230	---	25					
3 601 C72 532	GEX 125 AC	230	---	25					
3 601 C72 542	GEX 125 AC	230	GB	25					
3 601 C72 5A0	GEX 125 AC	230	EU	25					
3 601 C72 5A1	GEX 125 AC	230	CH	25					
3 601 C72 6A0	3727DEVS	120	USA	25					
3 601 C72 703	GEX 150 AC	230	EU	25					
3 601 C72 732	GEX 150 AC	230	CH	25					
3 601 C72 741	GEX 150 AC	110	GB	25					
3 601 C72 742	GEX 150 AC	230	GB	25					
3 601 C72 7A0	GEX 150 AC	230	EU	25					
3 601 C72 7A1	GEX 150 AC	230	GB	25					
3 601 C72 7A2	GEX 150 AC	110	GB	25					
3 601 C72 7A3	GEX 150 AC	230	GB	25					
3 601 C72 800	GEX 34-150	230	EU	25					
3 601 C72 810	GEX33-6	120	USA	25					
3 601 C72 830	GEX 34-150	230	CH	25					
3 601 C72 860	GEX 34-150	110	GB	25					
3 601 C72 870	GEX 34-150	230	GB	25					
3 601 C72 8F0	GEX 34-150	230	IND	25					
3 601 C7B 010	ROS65VC	120	USA	30					
3 601 C7B 011	ROS65VC	120	USA	30					
3 601 C7B 040	GEX 125 AVE	240	AUS	30					
3 601 C7B 041	GEX 125 AVE	240	AUS	30					
3 601 C7B 050	GEX 125 AVE	100	J	30					
3 601 C7B 051	GEX 125 AVE	100	J	30					
3 601 C7B 0B0	GEX 125-150 AVE	220	ROK	30					
3 601 C7B 100	GEX 125-150 AVE	230	EU	30					
3 601 C7B 101	GEX 125-150 AVE	230	EU	30					
3 601 C7B 110	ROS65VC	120	USA	30					
3 601 C7B 111	ROS65VC	120	USA	30					
3 601 C7B 130	GEX 125-150 AVE	230	RCH	30					
3 601 C7B 131	GEX 125-150 AVE	110	GB	30					
3 601 C7B 140	GEX 125-150 AVE	240	AUS	30					
3 601 C7B 141	GEX 125-150 AVE	240	---	30					
3 601 C7B 150	GEX 150 AVE	100	J	30					
3 601 C7B 151	GEX 150 AVE	100	---	30					
3 601 C7B 160	GEX 125-150 AVE	110	GB	30					
3 601 C7B 161	GEX 125-150 AVE	110	GB	30					
3 601 C7B 170	GEX 125-150 AVE	230	GB	30					
3 601 C7B 171	GEX 125-150 AVE	230	GB	30					
3 601 C7B 1D0	GEX 125-150 AVE	127	BR	30					
3 601 C7B 1D1	GEX 125-150 AVE	127	BR	30					
3 601 C7B 1E0	GEX 125-150 AVE	220	BR	30					