

Код заказа	: 2 910 011 088	Информации о	: S
Обозначение	: Винт с цилиндр.головкой	Цена	: 0,00
Техническая информация	: DIN 84-AM3,5x12-5.8		

Продукт	Торговое	Вольт	Стра	Поз
0 601 174 703	ELECTRONIC	230	EU	4/20
0 601 174 732	ELECTRONIC	220	S	4/20
0 601 174 733	ELECTRONIC	220	SKA	4/20
0 601 174 734	ELECTRONIC	115	SAM	4/20
0 601 174 737	ELECTRONIC	240	AUS	4/20
0 601 174 738	ELECTRONIC	110	J	4/20
0 601 174 741	ELECTRONIC	110	GB	4/20
0 601 174 742	ELECTRONIC	240	GB	4/20
0 601 174 747	ELECTRONIC	110	F	4/20
0 601 174 748	ELECTRONIC	230	F	4/20
0 601 174 750	ELECTRONIC	230	I	4/20
0 601 183 703	GSB 90-2 E	220	EU	4/10
0 601 183 708	GSB 90-2 E	230	OEU	4/10
0 601 183 732	GSB 90-2 E	220	CH	4/10
0 601 183 734	GSB 90-2 E	115	SAM	4/10
0 601 183 737	GSB 90-2 E	240	AUS	4/10
0 601 183 741	GSB 90-2 E	110	GB	4/10
0 601 183 742	GSB 90-2 E	240	GB	4/10
0 601 183 748	GSB 90-2 E	220	F	4/10
0 601 183 750	GSB 90-2 E	220	I	4/10
0 611 216 703	GBH 5/40 DCE	230	EU	4/10
0 611 216 731	GBH 5/40 DCE	115	SAM	4/10
0 611 216 732	GBH 5/40 DCE	230	CH	4/10
0 611 216 734	11216 EVS	115	USA	4/10
0 611 216 737	GBH 5/40 DCE	240	AUS	4/10
0 611 216 738	GBH 5/40 DCE	100	J	4/10
0 611 216 740	GBH 5/40 DCE	220	ROK	4/10
0 611 216 741	GBH 5/40 DCE	110	GB	4/10
0 611 216 742	GBH 5/40 DCE	240	GB	4/10
0 611 216 750	GBH 5/40 DCE	230	I	4/10
0 611 219 739	11 219 EVS	115	USA	4/10
0 611 219 745	11 219 EVS	115	CDN	4/10
0 611 220 739	11 220 EVS	115	USA	4/10
0 611 220 745	11 220 EVS	115	CDN	4/10
0 611 223 703	GBH 10 DC	230	EU	4/10
0 611 223 704	GBH 10 DC	230	RI	4/10
0 611 223 708	GBH 10 DC	230	OEU	4/10
0 611 223 732	GBH 10 DC	230	CH	4/10
0 611 223 734	GBH 10 DC	115	SAM	4/10
0 611 223 737	GBH 10 DC	240	AUS	4/10
0 611 223 738	GBH 10 DC	100	J	4/10
0 611 223 739	11 223 EVS	115	USA	4/10
0 611 223 740	GBH 10 DC	220	ROK	4/10
0 611 223 741	GBH 10 DC	110	GB	4/10
0 611 223 742	GBH 10 DC	240	GB	4/10
0 611 223 750	GBH 10 DC	230	I	4/10
0 611 227 003	GBH 38	230	EU	4/10
0 611 227 032	GBH 38	230	CH	4/10
0 611 227 034	GBH 38	115	SAM	4/10
0 611 227 037	GBH 38	240	AUS	4/10
0 611 227 038	GBH 38	100	J	4/10
0 611 227 039	GBH 38	115	USA	4/10
0 611 227 040	GBH 38	220	ROK	4/10
0 611 227 041	GBH 38	110	GB	4/10
0 611 227 042	GBH 38	240	GB	4/10
0 611 227 050	GBH 38	230	I	4/10
0 611 227 103	GBH 38	230	EU	4/10
0 611 227 104	GBH 38	230	RI	4/10
0 611 227 105	GBH 38	115	RC	4/10
0 611 227 106	GBH 38	240	MAL	4/10
0 611 227 132	GBH 38	230	CH	4/10
0 611 227 134	GBH 38	115	SAM	4/10
0 611 227 137	GBH 38	240	AUS	4/10
0 611 227 138	GBH 38	100	J	4/10
0 611 227 139	11227E	115	USA	4/10
0 611 227 140	GBH 38	220	ROK	4/10
0 611 227 141	GBH 38	110	GB	4/10
0 611 227 142	GBH 38	240	GB	4/10
0 611 227 143	GBH 38	230	CN	4/10
0 611 227 150	GBH 38	230	I	4/10

Продукт	Торговое	Вольт	Стра	Поз
0 611 227 999	PВН 380	230	EU	4/10
0 611 230 703	GBH 5 DCE	230	EU	4/10
0 611 230 704	GBH 5 DCE	230	RI	4/10
0 611 230 705	GBH 5 DCE	115	RC	4/10
0 611 230 706	GBH 5 DCE	240	MAL	4/10
0 611 230 708	GBH 5 DCE	230	OEU	4/10
0 611 230 715	GBH 5 DCE	230	AR	4/10
0 611 230 732	GBH 5 DCE	230	CH	4/10
0 611 230 734	GBH 5 DCE	115	SAM	4/10
0 611 230 737	GBH 5 DCE	240	AUS	4/10
0 611 230 738	GBH 5 DCE	100	J	4/10
0 611 230 739	11230EVS	115	USA	4/10
0 611 230 740	GBH 5 DCE	220	ROK	4/10
0 611 230 741	GBH 5 DCE	110	GB	4/10
0 611 230 742	GBH 5 DCE	240	GB	4/10
0 611 230 743	GBH 5 DCE	230	CN	4/10
0 611 230 750	GBH 5 DCE	230	I	4/10
0 611 232 739	11 232 EVS	115	USA	818
0 611 233 739	11 233 EVS	120	USA	818
0 611 235 703	GBH 7 DE	230	EU	818
0 611 235 704	GBH 7 DE	230	RI	818
0 611 235 705	GBH 7 DE	115	RC	818
0 611 235 706	GBH 7 DE	240	MAL	818
0 611 235 708	GBH 7 DE	230	OEU	818
0 611 235 715	GBH 7 DE	230	AR	818
0 611 235 732	GBH 7 DE	230	CH	818
0 611 235 734	GBH 7 DE	115	SAM	818
0 611 235 737	GBH 7 DE	240	AUS	818
0 611 235 738	GBH 7 DE	100	J	818
0 611 235 739	11 235 EVS	120	USA	818
0 611 235 740	GBH 7 DE	220	ROK	818
0 611 235 741	GBH 7 DE	110	GB	818
0 611 235 742	GBH 7 DE	240	GB	818
0 611 235 743	GBH 7 DE	230	CN	818
0 611 235 750	GBH 7 DE	230	I	818
0 611 235 803	GBH 7-45 DE	230	EU	818
0 611 235 804	GBH 7-45 DE	230	RI	818
0 611 235 805	GBH 7-45 DE	115	RC	818
0 611 235 806	GBH 7-45 DE	240	MAL	818
0 611 235 808	GBH 7-45 DE	230	OEU	818
0 611 235 814	GBH 7-45 DE	220	BR	818
0 611 235 815	GBH 7-45 DE	230	AR	818
0 611 235 832	GBH 7-45 DE	230	CH	818
0 611 235 834	GBH 7-45 DE	115	SAM	818
0 611 235 837	GBH 7-45 DE	240	AUS	818
0 611 235 838	GBH 7-45 DE	100	J	818
0 611 235 839	11235 EVS	120	USA	818
0 611 235 840	GBH 7-45 DE	220	ROK	818
0 611 235 841	GBH 7-45 DE	110	GB	818
0 611 235 842	GBH 7-45 DE	240	GB	818
0 611 235 843	GBH 7-45 DE	220	CN	818
0 611 235 850	GBH 7-45 DE	230	I	818
0 611 240 003	GBH 5-38 D	230	EU	818
0 611 240 004	GBH 5-38 D	230	RI	818
0 611 240 005	GBH 5-38 D	115	RC	818
0 611 240 006	GBH 5-38 D	240	MAL	818
0 611 240 008	GBH 5-38 D	230	OEU	818
0 611 240 032	GBH 5400	230	CH	818
0 611 240 034	GBH 5-38 D	115	SAM	818
0 611 240 037	GBH 5-38 D	240	AUS	818
0 611 240 038	GBH 5-38 D	100	J	818
0 611 240 039	11240	120	USA	818
0 611 240 040	GBH 5-38 D	220	ROK	818
0 611 240 041	GBH 5-38 D	110	GB	818
0 611 240 042	GBH 5-38 D	230	GB	818
0 611 240 043	GBH 5-38 D	230	CN	818
0 611 240 050	GBH 5-38 D	230	I	818
0 611 240 061	GBH 5400	230	EU	818
0 611 240 065	GBH 500	230	EU	818
0 611 240 066	GBH 5-38 D	230	CH	818

Код заказа	: 2 910 011 088	Информации о	: S
Обозначение	: Винт с цилиндр.головкой	Цена	: 0,00
Техническая информация	: DIN 84-AM3,5x12-5.8		

Продукт	Торговое	Вольт	Стра	Поз	Продукт	Торговое	Вольт	Стра	Поз
0 611 240 906	GBH 5-38 X	0	---	818	0 611 312 039	GSH 4	115	USA	4/10
0 611 240 940	GBH 5-38 X	220	ROK	818	0 611 312 040	GSH 4	220	ROK	4/10
0 611 240 943	GBH 5-38 X	230	CN	818	0 611 312 041	GSH 4	110	GB	4/10
0 611 244 139	11244 E	120	EU	818	0 611 312 042	GSH 4	240	GB	4/10
0 611 245 703	GBH 11 DE	230	EU	4/10	0 611 312 050	GSH 4	230	I	4/10
0 611 245 704	GBH 11 DE	230	RI	4/10	0 611 312 103	GSH 4	230	EU	4/10
0 611 245 705	GBH 11 DE	115	RC	4/10	0 611 312 104	GSH 4	230	RI	4/10
0 611 245 706	GBH 11 DE	240	MAL	4/10	0 611 312 105	GSH 4	115	RC	4/10
0 611 245 708	GBH 11 DE	230	OEU	4/10	0 611 312 106	GSH 4	240	MAL	4/10
0 611 245 714	GBH 11 DE	220	BR	4/10	0 611 312 132	GSH 4	230	CH	4/10
0 611 245 715	GBH 11 DE	230	AR	4/10	0 611 312 134	GSH 4	115	SAM	4/10
0 611 245 732	GBH 11 DE	230	CH	4/10	0 611 312 137	GSH 4	240	AUS	4/10
0 611 245 734	GBH 11 DE	115	SAM	4/10	0 611 312 138	GSH 4	100	J	4/10
0 611 245 737	GBH 11 DE	240	AUS	4/10	0 611 312 139	11 312 E	115	USA	4/10
0 611 245 738	GBH 11 DE	100	J	4/10	0 611 312 140	GSH 4	220	ROK	4/10
0 611 245 739	11245EVS	120	USA	4/10	0 611 312 141	GSH 4	110	GB	4/10
0 611 245 740	GBH 11 DE	220	ROK	4/10	0 611 312 142	GSH 4	240	GB	4/10
0 611 245 741	GBH 11 DE	110	GB	4/10	0 611 312 143	GSH 4	230	CN	4/10
0 611 245 742	GBH 11 DE	230	GB	4/10	0 611 312 150	GSH 4	230	I	4/10
0 611 245 743	GBH 11 DE	230	CN	4/10	0 611 313 703	GSH 5 CE	230	EU	4/10
0 611 245 750	GBH 11 DE	230	IND	4/10	0 611 313 704	GSH 5 CE	230	RI	4/10
0 611 247 039	11247	120	USA	818	0 611 313 705	GSH 5 CE	115	RC	4/10
0 611 263 703	GBH 7-46 DE	230	EU	818	0 611 313 706	GSH 5 CE	240	MAL	4/10
0 611 263 704	GBH 7-46 DE	220	RI	818	0 611 313 708	GSH 5 CE	230	OEU	4/10
0 611 263 705	GBH 7-46 DE	115	RC	818	0 611 313 715	GSH 5 CE	230	AR	4/10
0 611 263 706	GBH 7-46 DE	240	MAL	818	0 611 313 732	GSH 5 CE	230	CH	4/10
0 611 263 708	GBH 7-46 DE	230	OEU	818	0 611 313 734	GSH 5 CE	115	SAM	4/10
0 611 263 714	GBH 7-46 DE	220	BR	818	0 611 313 737	GSH 5 CE	240	AUS	4/10
0 611 263 715	GBH 7-46 DE	220	AR	818	0 611 313 738	GSH 5 CE	100	J	4/10
0 611 263 732	GBH 7-46 DE	230	CH	818	0 611 313 739	11313EVS	115	USA	4/10
0 611 263 734	GBH 7-46 DE	115	SAM	818	0 611 313 740	GSH 5 CE	220	ROK	4/10
0 611 263 737	GBH 7-46 DE	240	AUS	818	0 611 313 741	GSH 5 CE	110	GB	4/10
0 611 263 738	GBH 7-46 DE	100	J	818	0 611 313 742	GSH 5 CE	240	GB	4/10
0 611 263 739	11263 EVS	120	USA	818	0 611 313 743	GSH 5 CE	230	CN	4/10
0 611 263 740	GBH 7-46 DE	220	ROK	818	0 611 313 750	GSH 5 CE	230	I	4/10
0 611 263 741	GBH 7-46 DE	110	GB	818	0 611 314 739	11314 EVS	115	USA	4/10
0 611 263 742	GBH 7-46 DE	230	GB	818	0 611 316 703	GSH 11 E	230	EU	4/10
0 611 263 743	GBH 7-46 DE	220	CN	818	0 611 316 704	GSH 11 E	230	RI	4/10
0 611 263 750	GBH 7-46 DE	230	I	818	0 611 316 705	GSH 11 E	120	RC	4/10
0 611 309 703	GSH 5 CE	230	EU	4/10	0 611 316 706	GSH 11 E	240	MAL	4/10
0 611 309 731	GSH 5 CE	115	SAM	4/10	0 611 316 708	GSH 11 E	230	OEU	4/10
0 611 309 732	GSH 5 CE	230	CH	4/10	0 611 316 714	GSH 11 E	220	BR	4/10
0 611 309 734	11309 EVS	115	SAM	4/10	0 611 316 715	GSH 11 E	230	AR	4/10
0 611 309 737	GSH 5 CE	240	AUS	4/10	0 611 316 732	GSH 11 E	230	CH	4/10
0 611 309 738	GSH 5 CE	100	J	4/10	0 611 316 734	GSH 11 E	115	SAM	4/10
0 611 309 740	GSH 5 CE	220	ROK	4/10	0 611 316 737	GSH 11 E	240	AUS	4/10
0 611 309 741	GSH 5 CE	110	GB	4/10	0 611 316 738	GSH 11 E	100	J	4/10
0 611 309 742	GSH 5 CE	240	GB	4/10	0 611 316 739	11 316	120	USA	4/10
0 611 309 750	GSH 5 CE	230	I	4/10	0 611 316 740	GSH 11 E	220	ROK	4/10
0 611 310 739	11 310 EVS	115	USA	4/10	0 611 316 741	GSH 11 E	110	GB	4/10
0 611 311 703	GSH 10 C	230	EU	4/10	0 611 316 742	GSH 11 E	230	GB	4/10
0 611 311 704	GSH 10 C	230	RI	4/10	0 611 316 743	GSH 11 E	230	CN	4/10
0 611 311 705	GSH 10 C	115	RC	4/10	0 611 316 750	GSH 11 E	230	I	4/10
0 611 311 706	GSH 10 C	240	MAL	4/10	0 611 316 755	GSH 11 E	0	IND	4/10
0 611 311 708	GSH 10 C	230	OEU	4/10	0 611 316 769	MH 10-SE	110	GB	4/10
0 611 311 732	GSH 10 C	230	CH	4/10	0 611 316 796	GSH 11 E	230	EU	4/10
0 611 311 734	GSH 10 C	115	SAM	4/10	0 611 317 739	11317EVS	120	USA	4/10
0 611 311 737	GSH 10 C	240	AUS	4/10	0 611 387 039	11387	120	USA	818
0 611 311 738	GSH 10 C	100	J	4/10	0 611 388 003	GSH 388	230	EU	818
0 611 311 739	11311EVS	115	USA	818	0 611 388 004	GSH 388	230	RI	818
0 611 311 740	GSH 10 C	220	ROK	4/10	0 611 388 005	GSH 388	115	RC	818
0 611 311 741	GSH 10 C	110	GB	4/10	0 611 388 006	GSH 388	240	MAL	818
0 611 311 742	GSH 10 C	240	AFR	4/10	0 611 388 008	GSH 388	230	OEU	818
0 611 311 743	GSH 10 C	230	CN	4/10	0 611 388 014	GSH 388	220	BR	818
0 611 311 750	GSH 10 C	230	I	4/10	0 611 388 016	GSH 388	127	BR	818
0 611 312 003	GSH 4	230	EU	4/10	0 611 388 032	GSH 388	230	CH	818
0 611 312 032	GSH 4	230	CH	4/10	0 611 388 034	GSH 388	115	SAM	818
0 611 312 034	GSH 4	115	SAM	4/10	0 611 388 037	GSH 388	240	AUS	818
0 611 312 037	GSH 4	240	AUS	4/10	0 611 388 038	GSH 388	100	J	818
0 611 312 038	GSH 4	100	J	4/10	0 611 388 039	11388	120	USA	818

